Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com



# Mellow Fellow - Passion Blend

**Sample ID: 2605AFL0734.2554**
Strain: N/A
Matrix: Concentrates & Extracts
Type: Distillate
Unit Weight: 1 g

**Internal Lab ID: ATL-36421**

Received: 05/06/2026
Completed: 05/08/2026
Batch#: 26296908

Client
**Mellow Fellow**
Lic. # 426021
Address: 1309 NW 65th PL, Fort Lauderdale, Florida, 33309

Client Notes
**Manufacturer: Precision Fill and Pack / Food Entity Number: 426021**

## Summary

| Test | Date Tested | Result |
|---|---|---|
| Batch | | Pass |
| Cannabinoids | 05/07/2026 | Complete |
| Residual Solvents | 05/08/2026 | Pass |
| Microbials | 05/08/2026 | Pass |
| Heavy Metals | 05/07/2026 | Pass |
| Foreign Matter | 05/08/2026 | Pass |

## Expanded Potency - HPLC

Complete

| ND | 8.948% | 88.219% |
|---|---|---|
| Total THC | Total CBD | Total Cannabinoids |

| Analyte | LOD % | LOQ % | Result % | Result mg/unit |
|---|---|---|---|---|
| CBDVa | 0.007 | 0.022 | ND | ND |
| CBDV | 0.007 | 0.022 | ND | ND |
| CBDa | 0.007 | 0.022 | ND | ND |
| CBGa | 0.007 | 0.022 | ND | ND |
| CBG | 0.007 | 0.022 | 4.060 | 40.60 |
| CBD | 0.007 | 0.022 | 8.948 | 89.48 |
| THCV | 0.007 | 0.022 | ND | ND |
| Δ8-THCV | 0.008 | 0.024 | ND | ND |
| THCVa | 0.007 | 0.022 | ND | ND |
| CBN | 0.007 | 0.022 | ND | ND |
| Δ9-THC | 0.007 | 0.022 | ND | ND |
| Δ8-THC | 0.007 | 0.022 | 68.355 | 683.55 |
| (6aR,9S)-d10-THC | 0.008 | 0.024 | ND | ND |
| (6aR,9R)-d10-THC | 0.008 | 0.024 | ND | ND |
| CBC | 0.007 | 0.022 | 2.869 | 28.69 |
| CBCa | 0.007 | 0.022 | ND | ND |
| THCa | 0.007 | 0.022 | ND | ND |

| Analyte | LOD % | LOQ % | Result % | Result mg/unit |
|---|---|---|---|---|
| 9S-HHC | 0.010 | 0.029 | ND | ND |
| 9R-HHC | 0.010 | 0.029 | ND | ND |
| Δ9-THCH | 0.008 | 0.023 | 1.414 | 14.14 |
| Δ8-THCH | 0.008 | 0.024 | ND | ND |
| Δ9-THCP | 0.007 | 0.022 | 2.573 | 25.73 |
| Δ8-THCP | 0.008 | 0.023 | ND | ND |
| Δ8-THCO | 0.007 | 0.021 | ND | ND |
| Δ9-THCO | 0.007 | 0.021 | ND | ND |
| 9(S)-HHCP | 0.008 | 0.024 | ND | ND |
| 9(R)-HHCP | 0.008 | 0.024 | ND | ND |
| 11-Hydroxy-THC | 0.008 | 0.023 | ND | ND |
| 1(S)-H4-CBD | 0.008 | 0.024 | ND | ND |
| 1(R)-H4-CBD | 0.008 | 0.024 | ND | ND |
| Δ9-THCB | 0.008 | 0.023 | ND | ND |
| Δ8-THCB | 0.008 | 0.024 | ND | ND |
| CBDp | 0.008 | 0.024 | ND | ND |
| **Total** | | | **88.219** | **882.19** |

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2
Date Tested: 05/07/2026
Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

| NT | NT | Pass |
|---|---|---|
| Not Tested | Not Tested | *Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3* |
| *Document ID:* | *Document ID:* | |
| Moisture Content | Water Activity | Foreign Matter |

PJLA Testing
Accreditation #118038

ilac-MRA

Lise Berthe-Laurent
Laboratory Director
05/08/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

# Mellow Fellow - Passion Blend

**Sample ID: 2605AFL0734.2554**
Strain: N/A
Matrix: Concentrates & Extracts
Type: Distillate
Unit Weight: 1 g

**Internal Lab ID: ATL-36421**
Received: 05/06/2026
Completed: 05/08/2026
Batch#: 26296908

Client
**Mellow Fellow**
Lic. # 426021
Address: 1309 NW 65th PL, Fort Lauderdale, Florida, 33309

Client Notes
**Manufacturer: Precision Fill and Pack / Food Entity Number: 426021**

## Microbials

Pass

| Analyte | LOD | Limit | Result | Status |
|---|---|---|---|---|
| | CFU/g | CFU/g | CFU/g | |
| Shiga Toxin-Producing E. coli | 1 | 1 | Not Detected in 1g | Pass |
| Aspergillus flavus | 1 | 1 | Not Detected in 1g | Pass |
| Aspergillus fumigatus | 1 | 1 | Not Detected in 1g | Pass |
| Aspergillus terreus | 1 | 1 | Not Detected in 1g | Pass |
| Aspergillus niger | 1 | 1 | Not Detected in 1g | Pass |
| Salmonella | 1 | 1 | Not Detected in 1g | Pass |
| Total Yeast & Mold | 10 | 100000 | ND | Pass |

Document ID: CoA-3 Microbials Rev. 2, Test Method: TM-4.1, TM-4.2
Date Tested: 05/08/2026

## Mycotoxins

Not Tested

| Analyte | LOD | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|

Document ID:
Date Tested:

## Foreign Matter

Pass

| Analyte | Limit | Result | Status |
|---|---|---|---|
| | % by weight | % by weight | |
| Mold, Mildew, Fungus, Hair, Or Insects | 1% wt/wt or >10% total sample surface area | ND | Pass |
| Packaging Contaminants, Processing Waste, Or Other By-Products | 1% wt/wt or >10% total sample surface area | ND | Pass |
| Feces | >0.5 mg/kg | ND | Pass |
| FM Other | | ND | Pass |

Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3
Date Tested: 05/08/2026

PJLA Testing Accreditation #118038

Lise Berthe-Laurent
Laboratory Director
05/08/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

# Mellow Fellow - Passion Blend

**Sample ID: 2605AFL0734.2554**
Strain: N/A
Matrix: Concentrates & Extracts
Type: Distillate
Unit Weight: 1 g

**Internal Lab ID: ATL-36421**

Received: 05/06/2026
Completed: 05/08/2026
Batch#: 26296908

Client
**Mellow Fellow**
Lic. # 426021
Address: 1309 NW 65th PL, Fort Lauderdale, Florida, 33309

Client Notes
**Manufacturer: Precision Fill and Pack / Food Entity Number: 426021**

## Residual Solvents

Pass

| Analyte | LOD | LOQ | Limit | Result | Status | Analyte | LOD | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | PPM | PPM | PPM | PPM | | | PPM | PPM | PPM | PPM | |
| 1,1-Dichloroethene | 0.650 | 1.95 | 8 | ND | Pass | n-Heptane | 0.650 | 1.95 | 5000 | 7.536 | Pass |
| 1,2-Dichloroethane | 0.650 | 1.95 | 2 | ND | Pass | Isobutane | 0.640 | 1.92 | | ND | Tested |
| 1,4-Dioxane | 0.650 | 1.95 | | ND | Tested | Isopentane | 0.220 | 0.66 | | ND | Tested |
| 2,2-Dimethylbutane | 0.150 | 0.45 | | ND | Tested | Isopropanol | 9.170 | 27.51 | 500 | ND | Pass |
| 2,3-Dimethylbutane | 0.150 | 0.45 | | ND | Tested | Isopropyl Acetate | 0.650 | 1.95 | | ND | Tested |
| 2-Butanol | 0.650 | 1.95 | | ND | Tested | m-Xylene + p-Xylene | 0.340 | 1.02 | | ND | Tested |
| 2-Ethoxyethanol | 1.260 | 3.78 | | ND | Tested | Methanol | 6.240 | 18.72 | 250 | ND | Pass |
| 2-Methylpentane | 0.150 | 0.45 | | ND | Tested | Methylene Chloride | 0.650 | 1.95 | 125 | 5.428 | Pass |
| 3-Methylpentane | 0.150 | 0.45 | | ND | Tested | n-Butane | 0.340 | 1.02 | | ND | Tested |
| Acetone | 0.650 | 1.95 | 750 | 2.123 | Pass | n-Hexane | 0.150 | 0.45 | | <0.450 | Tested |
| Acetonitrile | 6.210 | 18.63 | 60 | ND | Pass | n-Pentane | 0.220 | 0.66 | | ND | Tested |
| Benzene | 0.020 | 0.06 | 1 | ND | Pass | Neopentane | 0.220 | 0.66 | | ND | Tested |
| Chloroform | 0.050 | 0.15 | 2 | ND | Pass | o-Xylene | 0.170 | 0.51 | | ND | Tested |
| Cumene | 0.650 | 1.95 | | ND | Tested | Propane | 2.540 | 7.62 | 5000 | ND | Pass |
| Cyclohexane | 0.650 | 1.95 | | ND | Tested | Tetrahydrofuran | 0.650 | 1.95 | | ND | Tested |
| Ethanol | 12.920 | 38.76 | 5000 | ND | Pass | Toluene | 0.760 | 2.28 | 150 | 4.160 | Pass |
| Ethyl Acetate | 3.560 | 10.68 | 400 | ND | Pass | Trichloroethene | 0.650 | 1.95 | 25 | ND | Pass |
| Ethylbenzene | 0.170 | 0.51 | | ND | Tested | Hexanes | | | 250 | ND | Pass |
| Ethyl Ether | 0.650 | 1.95 | 500 | ND | Pass | Butanes | | | 5000 | ND | Pass |
| Ethylene Glycol | 19.950 | 59.85 | | ND | Tested | Pentanes | | | 750 | ND | Pass |
| Ethylene Oxide | 0.640 | 1.92 | 5 | ND | Pass | Xylenes | 4.000 | 12 | 150 | ND | Pass |

Document ID: CoA-6 Residual Solvents Rev. 2, Test Method: TM-3
Date Tested: 05/08/2026
Residual Solvents via HS-GC-MS

## Heavy Metals

Pass

| Analyte | LOD | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|
| | PPB | PPB | PPB | PPB | |
| Arsenic | 16 | 49.12 | 200 | ND | Pass |
| Cadmium | 16 | 49.12 | 200 | ND | Pass |
| Lead | 16 | 49.11 | 500 | ND | Pass |
| Mercury | 16 | 49.11 | 200 | ND | Pass |

Document ID: CoA-5 Heavy Metals Rev. 1, Test Method: TM-9
Date Tested: 05/07/2026

PJLA Testing
Accreditation #118038

ilac-MRA

Lise Berthe-Laurent
Laboratory Director
05/08/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.