Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com

Mellow Fellow - Harmony Blend

Sample ID: 2605AFL0734.2557
Strain: N/A
Matrix: Concentrates & Extracts
Type: Distillate
Unit Weight: 1 g

Internal Lab ID: ATL-36415

Received: 05/06/2026
Completed: 05/08/2026
Batch#: 26296905

Client
Mellow Fellow
Lic. # 426021
Address: 1309 NW 65th PL, Fort Lauderdale, Florida, 33309

Client Notes
Manufacturer: Precision Fill and Pack / Food Entity Number: 426021

Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	05/07/2026	Complete
Residual Solvents	05/08/2026	Pass
Microbials	05/08/2026	Pass
Heavy Metals	05/07/2026	Pass
Foreign Matter	05/08/2026	Pass

Expanded Potency - HPLC

Complete

ND	10.357%	88.607%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD %	LOQ %	Result %	Result mg/unit
CBDVa	0.007	0.022	ND	ND
CBDV	0.007	0.022	ND	ND
CBDa	0.007	0.022	ND	ND
CBGa	0.007	0.022	ND	ND
CBG	0.007	0.022	5.634	56.34
CBD	0.007	0.022	10.357	103.57
THCV	0.007	0.022	ND	ND
Δ8-THCV	0.008	0.024	ND	ND
THCVa	0.007	0.022	ND	ND
CBN	0.007	0.022	ND	ND
Δ9-THC	0.007	0.022	ND	ND
Δ8-THC	0.007	0.022	66.281	662.81
(6aR,9S)-d10-THC	0.008	0.024	ND	ND
(6aR,9R)-d10-THC	0.008	0.024	ND	ND
CBC	0.007	0.022	3.955	39.55
CBCa	0.007	0.022	ND	ND
THCa	0.007	0.022	ND	ND

Analyte	LOD %	LOQ %	Result %	Result mg/unit
9S-HHC	0.010	0.029	ND	ND
9R-HHC	0.010	0.029	ND	ND
Δ9-THCH	0.008	0.023	2.380	23.80
Δ8-THCH	0.008	0.024	ND	ND
Δ9-THCP	0.007	0.022	ND	ND
Δ8-THCP	0.008	0.023	ND	ND
Δ8-THCO	0.007	0.021	ND	ND
Δ9-THCO	0.007	0.021	ND	ND
9(S)-HHCP	0.008	0.024	ND	ND
9(R)-HHCP	0.008	0.024	ND	ND
11-Hydroxy-THC	0.008	0.024	ND	ND
1(S)-H4-CBD	0.008	0.025	ND	ND
1(R)-H4-CBD	0.008	0.025	ND	ND
Δ9-THCB	0.008	0.023	ND	ND
Δ8-THCB	0.008	0.024	ND	ND
CBDp	0.008	0.025	ND	ND
Total			**88.607**	**886.07**

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2
Date Tested: 05/07/2026
Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

NT	NT	Pass
Not Tested	Not Tested	*Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3*
Document ID:	*Document ID:*	
Moisture Content	Water Activity	Foreign Matter

PJLA Testing
Accreditation #118038

ilac-MRA

Lise Berthe-Laurent
Laboratory Director
05/08/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Mellow Fellow - Harmony Blend

Sample ID: 2605AFL0734.2557
Strain: N/A
Matrix: Concentrates & Extracts
Type: Distillate
Unit Weight: 1 g

Internal Lab ID: ATL-36415

Received: 05/06/2026
Completed: 05/08/2026
Batch#: 26296905

Client
Mellow Fellow
Lic. # 426021
Address: 1309 NW 65th PL, Fort Lauderdale, Florida, 33309

Client Notes
Manufacturer: Precision Fill and Pack / Food Entity Number: 426021

Microbials

Pass

Analyte	LOD	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Shiga Toxin-Producing E. coli	1	1	Not Detected in 1g	Pass
Aspergillus flavus	1	1	Not Detected in 1g	Pass
Aspergillus fumigatus	1	1	Not Detected in 1g	Pass
Aspergillus terreus	1	1	Not Detected in 1g	Pass
Aspergillus niger	1	1	Not Detected in 1g	Pass
Salmonella	1	1	Not Detected in 1g	Pass
Total Yeast & Mold	10	100000	ND	Pass

Document ID: CoA-3 Microbials Rev. 2, Test Method: TM-4.1, TM-4.2
Date Tested: 05/08/2026

Mycotoxins

Not Tested

Analyte	LOD	LOQ	Limit	Result	Status

Document ID:
Date Tested:

Foreign Matter

Pass

Analyte	Limit	Result	Status
	% by weight	% by weight	
Mold, Mildew, Fungus, Hair, Or Insects	1% wt/wt or >10% total sample surface area	ND	Pass
Packaging Contaminants, Processing Waste, Or Other By-Products	1% wt/wt or >10% total sample surface area	ND	Pass
Feces	>0.5 mg/kg	ND	Pass
FM Other		ND	Pass

Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3
Date Tested: 05/08/2026

PJLA Testing
Accreditation #118038

Lise Berthe-Laurent
Laboratory Director
05/08/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com

Mellow Fellow - Harmony Blend

Sample ID: 2605AFL0734.2557
Strain: N/A
Matrix: Concentrates & Extracts
Type: Distillate
Unit Weight: 1 g

Internal Lab ID: ATL-36415

Received: 05/06/2026
Completed: 05/08/2026
Batch#: 26296905

Client
Mellow Fellow
Lic. # 426021
Address: 1309 NW 65th PL, Fort Lauderdale, Florida, 33309

Client Notes
Manufacturer: Precision Fill and Pack / Food Entity Number: 426021

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
1,1-Dichloroethene	0.620	1.86	8	ND	Pass	n-Heptane	0.620	1.86	5000	10.459	Pass
1,2-Dichloroethane	0.620	1.86	2	ND	Pass	Isobutane	0.630	1.89		ND	Tested
1,4-Dioxane	0.620	1.86		ND	Tested	Isopentane	0.210	0.63		ND	Tested
2,2-Dimethylbutane	0.120	0.36		ND	Tested	Isopropanol	9.180	27.54	500	ND	Pass
2,3-Dimethylbutane	0.120	0.36		ND	Tested	Isopropyl Acetate	0.620	1.86		ND	Tested
2-Butanol	0.620	1.86		ND	Tested	m-Xylene + p-Xylene	0.310	0.93		<0.930	Tested
2-Ethoxyethanol	1.250	3.75		ND	Tested	Methanol	6.240	18.72	250	ND	Pass
2-Methylpentane	0.120	0.36		ND	Tested	Methylene Chloride	0.620	1.86	125	7.124	Pass
3-Methylpentane	0.120	0.36		ND	Tested	n-Butane	0.310	0.93		ND	Tested
Acetone	0.620	1.86	750	2.991	Pass	n-Hexane	0.120	0.36		0.582	Tested
Acetonitrile	6.200	18.6	60	ND	Pass	n-Pentane	0.210	0.63		ND	Tested
Benzene	0.010	0.03	1	ND	Pass	Neopentane	0.210	0.63		ND	Tested
Chloroform	0.020	0.06	2	ND	Pass	o-Xylene	0.160	0.48		<0.480	Tested
Cumene	0.620	1.86		ND	Tested	Propane	2.510	7.53	5000	ND	Pass
Cyclohexane	0.620	1.86		ND	Tested	Tetrahydrofuran	0.620	1.86		ND	Tested
Ethanol	12.920	38.76	5000	ND	Pass	Toluene	0.760	2.28	150	6.348	Pass
Ethyl Acetate	3.550	10.65	400	ND	Pass	Trichloroethene	0.620	1.86	25	ND	Pass
Ethylbenzene	0.160	0.48		ND	Tested	Hexanes			250	0.582	Pass
Ethyl Ether	0.620	1.86	500	ND	Pass	Butanes			5000	ND	Pass
Ethylene Glycol	19.980	59.94		ND	Tested	Pentanes			750	ND	Pass
Ethylene Oxide	0.630	1.89	5	ND	Pass	Xylenes	4.000	12	150	ND	Pass

Document ID: CoA-6 Residual Solvents Rev. 2, Test Method: TM-3
Date Tested: 05/08/2026
Residual Solvents via HS-GC-MS

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Arsenic	16	47.95	200	ND	Pass
Cadmium	16	47.95	200	ND	Pass
Lead	16	47.95	500	ND	Pass
Mercury	16	47.95	200	ND	Pass

Document ID: CoA-5 Heavy Metals Rev. 1, Test Method: TM-9
Date Tested: 05/07/2026

PJLA Testing
Accreditation #118038

ilac-MRA

Lise Berthe-Laurent
Laboratory Director
05/08/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.