



Certificate of Analysis

Amended
R&D

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Mellow Fellow

Order No.: OFLMWF0811-0016087
1291 NW 65th pl
Florida, 33309
info@mellowfellow.com
428256

Sample: SFLMWF0811-CDIS-0008861

Unit Weight: .5000g, Sample Size for Testing: 5.0000g
Batch#: 2629750171
COA Expiration Date: 08/11/2027

MMTC Information

Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin Disposable Vapes 0.5ml Charged

Tropicana Cookies

Concentrates & Extracts, Distillate

TOTAL UNITS IN BATCH:
units



Results

64.5 %
D8-THC

8.71 %
CBD

8.71 %
Total CBD

0 %
Total THC

83.1 %
Total Cannabinoids

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Pass	Foreign Matter Tested	Homogeneity Not Tested
Terpenes Not Tested	Contaminant Load Not Tested	Residual Solvents Pass
Mycotoxins Pass	Heavy Metals Pass	Pesticides Pass
Kratom Not Tested		



Sean Santiago

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

Amended
R&D

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Mellow Fellow

Order No.: OFLMWF0811-0016087
1291 NW 65th pl
Florida, 33309
info@mellowfellow.com
428256

Sample: SFLMWF0811-CDIS-0008861

Unit Weight: .5000g, Sample Size for Testing: 5.0000g
Batch#: 2629750171
COA Expiration Date: 08/11/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin Disposable Vapes 0.5ml Charged

Tropicana Cookies

Concentrates & Extracts, Distillate

TOTAL UNITS IN BATCH:
units



Cannabinoids

Sample Prep

Tech: 4509
SOP: SOP 801
Batch Number: WCNDFL-FL0817-0009179
Batch Date: 08/17/2026 10:51

Sample Analysis

Date/Time: 08/18/2026 13:25
Tech: 4509
SOP: SOP 801
Instrument: HPLC - 3012
Initial Weight: 0.224 g
Final Weight: 0.224 g
Dilution Factor for Sample: 2,051.5

Tested

Analyte	LOD (mg/g)	LOQ (mg/g)	%	mg/g	mg/unit
CBDVa	1,253.03400	45,731.16400	ND	ND	ND
CBDV	0.09146	4.57312	< LOQ	< LOQ	< LOQ
CBDa	6,951.13700	45,731.16400	ND	ND	ND
CBGa	3,438.98400	45,731.16400	ND	ND	ND
CBG	0.74816	4.57312	3.49	34.9	17.4
CBD	1.27133	4.57312	8.71	87.1	43.5
THCV	0.29634	4.57312	4.27	42.7	21.4
THCVa	2,469.48300	45,731.16400	ND	ND	ND
CBN	0.13445	4.57312	2.15	21.5	10.7
D8-THC	0.76920	4.57312	64.5	645	322
D9-THC	6,621.87200	45,731.16400	ND	ND	ND
D9-THCP	7,417.59500	45,731.16400	ND	ND	ND
D10-THC	6,585.28800	45,731.16400	ND	ND	ND
CBC	4,948.11200	45,731.16400	ND	ND	ND
THCa	7,554.78800	45,731.16400	ND	ND	ND
CBCa	12,539.48500	45,731.16400	ND	ND	ND
CBT	9,146.23300	45,731.16400	ND	ND	ND
EXO-THC	9,475.49700	45,731.16400	ND	ND	ND
Total CBD			8.71	87.1	43.5
Total THC			0.00	0.00	0.00
Total Cannabinoids			83.1	831	415



Sean Santiago

Sean Santiago
Lab Manager



Certificate of Analysis

Amended
R&D

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Mellow Fellow

Order No.: OFLMWF0811-0016087
1291 NW 65th pl
Florida, 33309
info@mellowfellow.com
428256

Sample: SFLMWF0811-CDIS-0008861

Unit Weight: .5000g, Sample Size for Testing: 5.0000 g
Batch#: 2629750171
COA Expiration Date: 08/11/2027

MMTC Information

Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin Disposable Vapes 0.5ml Charged

Tropicana Cookies

Concentrates & Extracts, Distillate

TOTAL UNITS IN BATCH:
units



Microbials

Sample Prep

Tech: 4302
SOP: SOP 406-FL
Batch Number: WINCFL-FL0814-0009068
Batch Date: 08/14/2026 14:30

Sample Analysis

Date/Time: 08/18/2026 11:32
Tech: 4509
SOP: SOP 406-FL
Instrument: AriaMx Real-Time PCR System - 2958 / Balance XSR104 2835 - 2835 / 3M Petrifilm Plate Reader
Initial Weight: 3.052 g
Final Weight: 3.052 g
Dilution Factor for Sample: 10

Pass

Analyte	Limit (CFU/g)	Result	Status
Yeast & Mold	10,000	ND	Passed
Salmonella	None Present	Absence	Passed
Aspergillus Flavus	None Present	Absence	Passed
Aspergillus Fumigatus	None Present	Absence	Passed
Aspergillus Niger	None Present	Absence	Passed
Aspergillus Terreus	None Present	Absence	Passed
STEC E. Coli	None Present	Absence	Passed
Total Aerobic Microbial Count	100,000	Absence	Passed



Sean Santiago
Lab Manager



Certificate of Analysis

Amended
R&D

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Mellow Fellow

Order No.: OFLMWF0811-0016087
1291 NW 65th pl
Florida, 33309
info@mellowfellow.com
428256

Sample: SFLMWF0811-CDIS-0008861

Unit Weight: .5000g, Sample Size for Testing: 5.0000g

Batch#: 2629750171

COA Expiration Date: 08/11/2027

MMTC Information

Cultivation Facility: , Processing Facility:

Sample Collection Facility:

Mellow Fellow Live Resin Disposable Vapes 0.5ml Charged

Tropicana Cookies

Concentrates & Extracts, Distillate

TOTAL UNITS IN BATCH:
units



Water Activity

Sample Prep

Tech: 4524

SOP: SOP 407-FL

Batch Number: WMWAF-FL0814-0009025

Batch Date: 08/14/2026 09:47

Sample Analysis

Date/Time: 08/18/2026 11:33

Tech: 4509

SOP: SOP 407-FL

Instrument: Rotronic Water Activity Meter - 3530

Initial Weight: 1.089 g

Final Weight: 1.089 g

Pass

Analyte	Limit (aw)	aw	Status
Water Activity	0.65	0.44	Passed



Sean Santiago

Sean Santiago
Lab Manager



Certificate of Analysis

Amended
R&D

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Mellow Fellow

Order No.: OFLMWF0811-0016087
1291 NW 65th pl
Florida, 33309
info@mellowfellow.com
428256

Sample: SFLMWF0811-CDIS-0008861

Unit Weight: .5000g, Sample Size for Testing: 5.0000g

Batch#: 2629750171

COA Expiration Date: 08/11/2027

MMTC Information

Cultivation Facility: , Processing Facility:

Sample Collection Facility:

Mellow Fellow Live Resin Disposable Vapes 0.5ml Charged

Tropicana Cookies

Concentrates & Extracts, Distillate

TOTAL UNITS IN BATCH:
units



Foreign Matter

Sample Prep/Analysis

Tech: 4302

SOP: SOP 409-FL

Batch Date: 08/17/2026 09:14

Sample Analysis

Date/Time: 08/18/2026 11:21

Tech: 4509

SOP: SOP 409-FL

Initial Weight: 1 g

Final Weight: 1 g

Tested

Analyte

	%
FM Weight	0.00
FM Sample Area	0.00
Feces, Mold, Mildew, and/or Fungus	Absence



Sean Santiago
Lab Manager



Certificate of Analysis

Amended
R&D

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Mellow Fellow

Order No.: OFLMWF0811-0016087
1291 NW 65th pl
Florida, 33309
info@mellowfellow.com
428256

Sample: SFLMWF0811-CDIS-0008861

Unit Weight: .5000g, Sample Size for Testing: 5.0000g

Batch#: 2629750171

COA Expiration Date: 08/11/2027

MMTC Information

Cultivation Facility: , Processing Facility:

Sample Collection Facility:

Mellow Fellow Live Resin Disposable Vapes 0.5ml Charged

Tropicana Cookies

Concentrates & Extracts, Distillate

TOTAL UNITS IN BATCH:
units



Residual Solvents

Sample Prep

Tech: 3358, 4509

SOP: SOP 405-FL

Batch Number: WRSVFL-FL0814-0009017

Batch Date: 08/13/2026 20:02

Sample Analysis

Date/Time: 08/18/2026 17:00

Tech: 4509

SOP: SOP 405-FL

Instrument: GCMS-HS - 3015

Initial Weight: 0.101 g

Final Weight: 0.101 g

Dilution Factor for Sample: 1

Pass

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
1,2-Dichloroethane	0.7	1.0		ND	Tested
Acetone	2.0	20.0	1,000.0	< LOQ	Passed
Acetonitrile	2.0	20.0		< LOQ	Tested
Benzene	0.2	0.4	2.0	ND	Passed
Butane	10.0	20.0	1,000.0	ND	Passed
Chloroform	0.2	0.4		ND	Tested
Ethanol	20.0	40.0	5,000.0	ND	Passed
Ethyl Acetate	2.0	20.0	1,000.0	< LOQ	Passed
Ethyl Ether	20.0	40.0		ND	Tested
Ethylene Oxide	0.7	2.0		ND	Tested
Heptane	20.0	40.0	1,000.0	ND	Passed
Hexanes	4.0	8.0	60.0	ND	Passed
Isopropyl Alcohol	20.0	40.0	1,000.0	ND	Passed
Methanol	20.0	40.0	600.0	ND	Passed
Methylene Chloride	20.0	40.0		ND	Tested
Pentanes	6.7	13.3	1,000.0	ND	Passed
Propane	2.0	20.0	1,000.0	ND	Passed
Toluene	2.0	20.0	180.0	ND	Passed
Trichloroethylene	1.0	2.0		ND	Tested
Total Xylenes			430.0	ND	Passed
1,1-Dichloroethene	0.7	2.0		ND	Tested



Sean Santiago

Sean Santiago
Lab Manager



Certificate of Analysis

Amended
R&D

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Mellow Fellow

Order No.: OFLMWF0811-0016087
1291 NW 65th pl
Florida, 33309
info@mellowfellow.com
428256

Sample: SFLMWF0811-CDIS-0008861

Unit Weight: .5000g, Sample Size for Testing: 5.0000 g
Batch#: 2629750171
COA Expiration Date: 08/11/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin Disposable Vapes 0.5ml Charged

Tropicana Cookies

Concentrates & Extracts, Distillate

TOTAL UNITS IN BATCH:
units



Mycotoxins

Sample Prep

Tech: 3358
SOP: SOP 424-FL
Batch Number: WPMCFL-FL0816-0009147
Batch Date: 08/15/2026 21:09

Sample Analysis

Date/Time: 08/18/2026 11:45
Tech: 4509
SOP: SOP 424-FL
Instrument: LC-MS/MS - 2998
Initial Weight: 0.109 g
Final Weight: 0.109 g
Dilution Factor for Sample: 2.5

Pass

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
B1	1.833	9.166	20.000	ND	Passed
B2	1.833	9.166	20.000	ND	Passed
G1	1.833	9.166	20.000	ND	Passed
G2	1.833	9.166	20.000	ND	Passed
Ochratoxin A	1.833	9.166	20.000	ND	Passed



Sean Santiago

Sean Santiago
Lab Manager



Certificate of Analysis

Amended
R&D

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Mellow Fellow

Order No.: OFLMWF0811-0016087
1291 NW 65th pl
Florida, 33309
info@mellowfellow.com
428256

Sample: SFLMWF0811-CDIS-0008861

Unit Weight: .5000g, Sample Size for Testing: 5.0000g

Batch#: 2629750171

COA Expiration Date: 08/11/2027

MMTC Information

Cultivation Facility: , Processing Facility:

Sample Collection Facility:

Mellow Fellow Live Resin Disposable Vapes 0.5ml Charged

Tropicana Cookies

Concentrates & Extracts, Distillate

TOTAL UNITS IN BATCH:
units



Heavy Metals

Sample Prep

Tech: 4509

SOP: SOP 428-FL

Batch Number: WMTLFL-FL0817-0009202

Batch Date: 08/17/2026 19:28

Sample Analysis

Date/Time: 08/18/2026 11:23

Tech: 4509

SOP: SOP 428-FL

Instrument: ICP-MS - 2837

Initial Weight: 0.227 g

Final Weight: 0.227 g

Dilution Factor for Sample: 50

Pass

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
Arsenic	9.027	82.563	200.000	< LOQ	Passed
Cadmium	5.945	82.563	200.000	ND	Passed
Mercury	6.605	82.563	100.000	ND	Passed
Nickel	85.303	247.688		< LOQ	Tested
Lead	5.945	247.688	500.000	< LOQ	Passed
Tin	248.710	330.251		ND	Tested



Sean Santiago

Sean Santiago
Lab Manager



Certificate of Analysis

Amended
R&D

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Mellow Fellow

Order No.: OFLMWF0811-0016087
1291 NW 65th pl
Florida, 33309
info@mellowfellow.com
428256

Sample: SFLMWF0811-CDIS-0008861

Unit Weight: .5000g, Sample Size for Testing: 5.0000g

Batch#: 2629750171

COA Expiration Date: 08/11/2027

MMTC Information

Cultivation Facility: , Processing Facility:

Sample Collection Facility:

Mellow Fellow Live Resin Disposable Vapes 0.5ml Charged

Tropicana Cookies

Concentrates & Extracts, Distillate

TOTAL UNITS IN BATCH:
units



Pesticides

Sample Prep

Tech: 3358

SOP: SOP 424-FL

Batch Number: WPMCFL-FL0816-0009147

Batch Date: 08/15/2026 21:09

Sample Analysis

Date/Time: 08/18/2026 11:45

Tech: 4509, 4521

SOP: SOP 424-FL

Instrument: LC-MS/MS - 2998 / GC-MS/MS - 3017

Initial Weight: 0.621 g

Final Weight: 0.621 g

Dilution Factor for Sample: 2.5 (LCMS), 10 (GCMS)

Pass

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Abamectin	0.008	0.020	0.500	ND	Passed
Acephate	0.009	0.023	0.400	ND	Passed
Acequinocyl	0.009	0.023	2.000	ND	Passed
Acetamiprid	0.002	0.009	0.200	ND	Passed
Aldicarb	0.005	0.018	0.400	ND	Passed
Azoxystrobin	0.002	0.009	0.200	ND	Passed
Bifenazate	0.002	0.009	0.200	ND	Passed
Bifenthrin	0.009	0.023	0.200	ND	Passed
Boscalid	0.011	0.046	0.200	ND	Passed
Carbaryl	0.005	0.009	0.400	ND	Passed
Carbofuran	0.002	0.009	0.200	ND	Passed
Chlorantraniliprole	0.002	0.009	0.200	ND	Passed
Chlorpyrifos	0.009	0.023	0.200	ND	Passed
Clofentezine	0.009	0.023	0.200	ND	Passed
Coumaphos	0.010	0.050		ND	Tested
Cyfluthrin	0.010	0.100	1.000	ND	Passed
Cypermethrin	0.010	0.100	1.000	ND	Passed
Daminozide	0.009	0.023	1.000	ND	Passed
Diazinon	0.002	0.009	0.200	ND	Passed
Dichlorvos	0.009	0.023	0.100	ND	Passed
Dimethoate	0.002	0.009	0.200	ND	Passed
Dimethomorph	0.003	0.010		ND	Tested
Ethoprophos	0.002	0.009	0.200	ND	Passed
Etofenprox	0.002	0.009	0.400	ND	Passed
Etiozole	0.002	0.009	0.200	ND	Passed
Fenhexamid	0.009	0.046		ND	Tested
Fenoxycarb	0.002	0.009	0.400	ND	Passed
Fenpyroximate	0.002	0.018	0.400	ND	Passed
Fipronil	0.002	0.009	0.400	ND	Passed
Flonicamid	0.005	0.018	1.000	ND	Passed
Fludioxonil	0.005	0.009	0.400	ND	Passed
Hexythiazox	0.005	0.018	1.000	ND	Passed
Imazalil	0.009	0.023	0.200	ND	Passed
Imidacloprid	0.023	0.115	0.400	ND	Passed
Kresoxim Methyl	0.005	0.009	0.400	ND	Passed
Malathion	0.018	0.046	0.200	ND	Passed
Mevinphos	0.008	0.021		ND	Tested
Metalaxyl	0.002	0.009	0.200	ND	Passed
Methiocarb	0.002	0.009	0.200	ND	Passed
Methomyl	0.002	0.009	0.400	ND	Passed
Myclobutanil	0.005	0.023		ND	Tested
Naled	0.018	0.023	0.500	ND	Passed



Sean Santiago

Sean Santiago
Lab Manager



Certificate of Analysis

Amended
R&D

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Mellow Fellow

Order No.: OFLMWF0811-0016087
1291 NW 65th pl
Florida, 33309
info@mellowfellow.com
428256

Sample: SFLMWF0811-CDIS-0008861

Unit Weight: .5000g, Sample Size for Testing: 5.0000g

Batch#: 2629750171

COA Expiration Date: 08/11/2027

MMTC Information

Cultivation Facility: , Processing Facility:

Sample Collection Facility:

Mellow Fellow Live Resin Disposable Vapes 0.5ml Charged

Tropicana Cookies

Concentrates & Extracts, Distillate

TOTAL UNITS IN BATCH:
units



Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Oxamyl	0.002	0.009	1.000	ND	Passed
Paclobutrazol	0.002	0.009	0.400	ND	Passed
Permethrin	0.009	0.023	0.200	ND	Passed
Phosmet	0.005	0.023	0.200	ND	Passed
Piperonyl Butoxide	0.002	0.009	2.000	ND	Passed
Prallethrin	0.009	0.023	0.200	ND	Passed
Propiconazole	0.009	0.023	0.400	ND	Passed
Propoxur	0.002	0.009	0.200	ND	Passed
Pyrethrins	0.030	0.061	1.000	ND	Passed
Pyridaben	0.002	0.009	0.200	ND	Passed
Spinetoram	0.007	0.016		ND	Tested
Spinosyn AD	0.009	0.039	0.200	ND	Passed
Spiromesifen	0.002	0.009	0.200	ND	Passed
Spirotetramat	0.005	0.023	0.200	ND	Passed
Spiroxamine	0.002	0.009	0.400	ND	Passed
Tebuconazole	0.009	0.023	0.400	ND	Passed
Thiacloprid	0.002	0.009	0.200	ND	Passed
Thiamethoxam	0.002	0.009	0.200	ND	Passed
Trifloxystrobin	0.002	0.009	0.200	ND	Passed
Methyl Parathion	0.010	0.020	0.200	ND	Passed
Chlordane	0.010	0.020		ND	Tested
Chlorfenapyr	0.010	0.020	1.000	ND	Passed
Chloromequat Chloride	0.002	0.009	0.200	ND	Passed
Pentachloronitrobenzene	0.010	0.050		ND	Tested



Sean Santiago
Lab Manager