



# Certificate of Analysis

Amended  
R&D

CMTL-0004  
ACT Laboratories (FL)  
4001 SW 47th Ave Suite 208, Davie, Florida  
8448228522  
seansantiago@actlab.com

## Mellow Fellow

Order No.: OFLMWF0811-0016087  
1291 NW 65th pl  
Florida, 33309  
info@mellowfellow.com  
428256

## Sample: SFLMWF0811-CDIS-0008863

Unit Weight: .5000g, Sample Size for Testing: 2.0000g  
Batch#: 2629750576  
COA Expiration Date: 08/11/2027

### MMTC Information

Cultivation Facility: , Processing Facility:  
Sample Collection Facility:

## Mellow Fellow Live Resin Disposable Vapes 0.5ml

### Introvert King Louis

Concentrates & Extracts, Distillate

TOTAL UNITS IN BATCH:  
units



## Results

**73.5 %**  
D8-THC

**5.28 %**  
CBD

**5.28 %**  
Total CBD

**0 %**  
Total THC

**87.4 %**  
Total Cannabinoids

## Tests Summary

|                               |                                       |                                  |
|-------------------------------|---------------------------------------|----------------------------------|
| <b>Cannabinoids</b><br>Tested | <b>Moisture</b><br>Not Tested         | <b>Microbials</b><br>Pass        |
| <b>Water Activity</b><br>Pass | <b>Foreign Matter</b><br>Tested       | <b>Homogeneity</b><br>Not Tested |
| <b>Terpenes</b><br>Not Tested | <b>Contaminant Load</b><br>Not Tested | <b>Residual Solvents</b><br>Pass |
| <b>Mycotoxins</b><br>Pass     | <b>Heavy Metals</b><br>Pass           | <b>Pesticides</b><br>Pass        |
| <b>Kratom</b><br>Not Tested   |                                       |                                  |



*Sean Santiago*

**Sean Santiago**  
Lab Manager



# Certificate of Analysis

Amended  
R&D

CMTL-0004  
ACT Laboratories (FL)  
4001 SW 47th Ave Suite 208, Davie, Florida  
8448228522  
seansantiago@actlab.com

## Mellow Fellow

Order No.: OFLMWF0811-0016087  
1291 NW 65th pl  
Florida, 33309  
info@mellowfellow.com  
428256

Sample: SFLMWF0811-CDIS-0008863

Unit Weight: .5000g, Sample Size for Testing: 2.0000g

Batch#: 2629750576

COA Expiration Date: 08/11/2027

### MMTC Information

Cultivation Facility: , Processing Facility:

Sample Collection Facility:

## Mellow Fellow Live Resin Disposable Vapes 0.5ml

### Introvert King Louis

Concentrates & Extracts, Distillate

TOTAL UNITS IN BATCH:  
units



## Cannabinoids

### Sample Prep

Tech: 4509

SOP: SOP 801

Batch Number: WCNDFL-FL0817-0009179

Batch Date: 08/17/2026 10:51

### Sample Analysis

Date/Time: 08/18/2026 13:25

Tech: 4509

SOP: SOP 801

Instrument: HPLC - 3012

Initial Weight: 0.219 g

Final Weight: 0.219 g

Dilution Factor for Sample: 2,051.5

Tested

| Analyte            | LOD (mg/g)   | LOQ (mg/g)   | %     | mg/g  | mg/unit |
|--------------------|--------------|--------------|-------|-------|---------|
| CBDVa              | 1,283.35800  | 46,837.90000 | ND    | ND    | ND      |
| CBDV               | 0.09368      | 4.68379      | < LOQ | < LOQ | < LOQ   |
| CBDa               | 7,119.36100  | 46,837.90000 | ND    | ND    | ND      |
| CBGa               | 3,522.21000  | 46,837.90000 | ND    | ND    | ND      |
| CBG                | 0.76627      | 4.68379      | 5.17  | 51.7  | 25.9    |
| CBD                | 1.30209      | 4.68379      | 5.28  | 52.8  | 26.4    |
| THCV               | 3,035.09600  | 46,837.90000 | ND    | ND    | ND      |
| THCVa              | 2,529.24700  | 46,837.90000 | ND    | ND    | ND      |
| CBN                | 0.13770      | 4.68379      | 3.40  | 34.0  | 17.0    |
| D8-THC             | 0.78781      | 4.68379      | 73.5  | 735   | 368     |
| D9-THC             | 6,782.12800  | 46,837.90000 | ND    | ND    | ND      |
| D9-THCP            | 7,597.10700  | 46,837.90000 | ND    | ND    | ND      |
| D10-THC            | 6,744.65800  | 46,837.90000 | ND    | ND    | ND      |
| CBC                | 5,067.86100  | 46,837.90000 | ND    | ND    | ND      |
| THCa               | 7,737.62100  | 46,837.90000 | ND    | ND    | ND      |
| CBCa               | 12,842.95200 | 46,837.90000 | ND    | ND    | ND      |
| CBT                | 9,367.58000  | 46,837.90000 | ND    | ND    | ND      |
| EXO-THC            | 9,704.81300  | 46,837.90000 | ND    | ND    | ND      |
| Total CBD          |              |              | 5.28  | 52.8  | 26.4    |
| Total THC          |              |              | 0.00  | 0.00  | 0.00    |
| Total Cannabinoids |              |              | 87.4  | 874   | 437     |



*Sean Santiago*

Sean Santiago  
Lab Manager



# Certificate of Analysis

Amended  
R&D

CMTL-0004  
ACT Laboratories (FL)  
4001 SW 47th Ave Suite 208, Davie, Florida  
8448228522  
seansantiago@actlab.com

## Mellow Fellow

Order No.: OFLMWF0811-0016087  
1291 NW 65th pl  
Florida, 33309  
info@mellowfellow.com  
428256

## Sample: SFLMWF0811-CDIS-0008863

Unit Weight: .5000g, Sample Size for Testing: 2.0000 g  
Batch#: 2629750576  
COA Expiration Date: 08/11/2027  
**MMTC Information**  
Cultivation Facility: , Processing Facility:  
Sample Collection Facility:

## Mellow Fellow Live Resin Disposable Vapes 0.5ml

### Introvert King Louis

Concentrates & Extracts, Distillate

TOTAL UNITS IN BATCH:  
units



## Microbials

### Sample Prep

Tech: 4302  
SOP: SOP 406-FL  
Batch Number: WINCFL-FL0814-0009068  
Batch Date: 08/14/2026 14:30

### Sample Analysis

Date/Time: 08/18/2026 11:32  
Tech: 4509  
SOP: SOP 406-FL  
Instrument: AriaMx Real-Time PCR System - 2958 / Balance XSR104 2835 - 2835 / 3M Petrifilm Plate Reader  
Initial Weight: 3.055 g  
Final Weight: 3.055 g  
Dilution Factor for Sample: 10

Pass

| Analyte                       | Limit (CFU/g) | Result  | Status |
|-------------------------------|---------------|---------|--------|
| Yeast & Mold                  | 10,000        | ND      | Passed |
| Salmonella                    | None Present  | Absence | Passed |
| Aspergillus Flavus            | None Present  | Absence | Passed |
| Aspergillus Fumigatus         | None Present  | Absence | Passed |
| Aspergillus Niger             | None Present  | Absence | Passed |
| Aspergillus Terreus           | None Present  | Absence | Passed |
| STEC E. Coli                  | None Present  | Absence | Passed |
| Total Aerobic Microbial Count | 100,000       | Absence | Passed |



Sean Santiago  
Lab Manager



# Certificate of Analysis

Amended  
R&D

CMTL-0004  
ACT Laboratories (FL)  
4001 SW 47th Ave Suite 208, Davie, Florida  
8448228522  
seansantiago@actlab.com

## Mellow Fellow

Order No.: OFLMWF0811-0016087  
1291 NW 65th pl  
Florida, 33309  
info@mellowfellow.com  
428256

## Sample: SFLMWF0811-CDIS-0008863

Unit Weight: .5000g, Sample Size for Testing: 2.0000 g  
Batch#: 2629750576  
COA Expiration Date: 08/11/2027  
**MMTC Information**  
Cultivation Facility: , Processing Facility:  
Sample Collection Facility:

## Mellow Fellow Live Resin Disposable Vapes 0.5ml

### Introvert King Louis

Concentrates & Extracts, Distillate

TOTAL UNITS IN BATCH:  
units



## Water Activity

### Sample Prep

Tech: 4524  
SOP: SOP 407-FL  
Batch Number: WMWAF-FL0814-0009025  
Batch Date: 08/14/2026 09:47

### Sample Analysis

Date/Time: 08/18/2026 11:33  
Tech: 4509  
SOP: SOP 407-FL  
Instrument: Rotronic Water Activity Meter - 3530  
Initial Weight: 1.063 g  
Final Weight: 1.063 g

Pass

| Analyte        | Limit (aw) | aw   | Status |
|----------------|------------|------|--------|
| Water Activity | 0.65       | 0.42 | Passed |



Sean Santiago  
Lab Manager



# Certificate of Analysis

Amended  
R&D

CMTL-0004  
ACT Laboratories (FL)  
4001 SW 47th Ave Suite 208, Davie, Florida  
8448228522  
seansantiago@actlab.com

## Mellow Fellow

Order No.: OFLMWF0811-0016087  
1291 NW 65th pl  
Florida, 33309  
info@mellowfellow.com  
428256

Sample: SFLMWF0811-CDIS-0008863

Unit Weight: .5000g, Sample Size for Testing: 2.0000 g

Batch#: 2629750576

COA Expiration Date: 08/11/2027

### MMTC Information

Cultivation Facility: , Processing Facility:

Sample Collection Facility:

Mellow Fellow Live Resin Disposable Vapes 0.5ml

Introvert King Louis

Concentrates & Extracts, Distillate

TOTAL UNITS IN BATCH:  
units



## Foreign Matter

### Sample Prep/Analysis

Tech: 4302

SOP: SOP 409-FL

Batch Date: 08/17/2026 09:14

### Sample Analysis

Date/Time: 08/18/2026 11:21

Tech: 4509

SOP: SOP 409-FL

Initial Weight: 1 g

Final Weight: 1 g

Tested

### Analyte

|                                    | %       |
|------------------------------------|---------|
| FM Weight                          | 0.00    |
| FM Sample Area                     | 0.00    |
| Feces, Mold, Mildew, and/or Fungus | Absence |



*Sean Santiago*

**Sean Santiago**  
Lab Manager



# Certificate of Analysis

Amended  
R&D

CMTL-0004  
ACT Laboratories (FL)  
4001 SW 47th Ave Suite 208, Davie, Florida  
8448228522  
seansantiago@actlab.com

## Mellow Fellow

Order No.: OFLMWF0811-0016087  
1291 NW 65th pl  
Florida, 33309  
info@mellowfellow.com  
428256

Sample: SFLMWF0811-CDIS-0008863

Unit Weight: .5000g, Sample Size for Testing: 2.0000g

Batch#: 2629750576

COA Expiration Date: 08/11/2027

### MMTC Information

Cultivation Facility: , Processing Facility:

Sample Collection Facility:

## Mellow Fellow Live Resin Disposable Vapes 0.5ml

### Introvert King Louis

Concentrates & Extracts, Distillate

TOTAL UNITS IN BATCH:  
units



## Residual Solvents

### Sample Prep

Tech: 3358, 4509

SOP: SOP 405-FL

Batch Number: WRSVFL-FL0814-0009017

Batch Date: 08/13/2026 20:02

### Sample Analysis

Date/Time: 08/18/2026 17:00

Tech: 4509

SOP: SOP 405-FL

Instrument: GCMS-HS - 3015

Initial Weight: 0.109g

Final Weight: 0.109g

Dilution Factor for Sample: 1

Pass

| Analyte            | LOD (ppm) | LOQ (ppm) | Limit (ppm) | ppm   | Status |
|--------------------|-----------|-----------|-------------|-------|--------|
| 1,2-Dichloroethane | 0.7       | 1.0       |             | ND    | Tested |
| Acetone            | 2.0       | 20.0      | 1,000.0     | < LOQ | Passed |
| Acetonitrile       | 2.0       | 20.0      |             | < LOQ | Tested |
| Benzene            | 0.2       | 0.4       | 2.0         | ND    | Passed |
| Butane             | 10.0      | 20.0      | 1,000.0     | ND    | Passed |
| Chloroform         | 0.2       | 0.4       |             | ND    | Tested |
| Ethanol            | 20.0      | 40.0      | 5,000.0     | < LOQ | Passed |
| Ethyl Acetate      | 2.0       | 20.0      | 1,000.0     | < LOQ | Passed |
| Ethyl Ether        | 20.0      | 40.0      |             | ND    | Tested |
| Ethylene Oxide     | 0.7       | 2.0       |             | ND    | Tested |
| Heptane            | 20.0      | 40.0      | 1,000.0     | ND    | Passed |
| Hexanes            | 4.0       | 8.0       | 60.0        | ND    | Passed |
| Isopropyl Alcohol  | 20.0      | 40.0      | 1,000.0     | ND    | Passed |
| Methanol           | 20.0      | 40.0      | 600.0       | ND    | Passed |
| Methylene Chloride | 20.0      | 40.0      |             | ND    | Tested |
| Pentanes           | 6.7       | 13.3      | 1,000.0     | ND    | Passed |
| Propane            | 2.0       | 20.0      | 1,000.0     | ND    | Passed |
| Toluene            | 2.0       | 20.0      | 180.0       | ND    | Passed |
| Trichloroethylene  | 1.0       | 2.0       |             | ND    | Tested |
| Total Xylenes      |           |           | 430.0       | ND    | Passed |
| 1,1-Dichloroethene | 0.7       | 2.0       |             | ND    | Tested |



*Sean Santiago*

Sean Santiago  
Lab Manager



# Certificate of Analysis

Amended  
R&D

CMTL-0004  
ACT Laboratories (FL)  
4001 SW 47th Ave Suite 208, Davie, Florida  
8448228522  
seansantiago@actlab.com

## Mellow Fellow

Order No.: OFLMWF0811-0016087  
1291 NW 65th pl  
Florida, 33309  
info@mellowfellow.com  
428256

Sample: SFLMWF0811-CDIS-0008863

Unit Weight: .5000g, Sample Size for Testing: 2.0000 g

Batch#: 2629750576

COA Expiration Date: 08/11/2027

### MMTC Information

Cultivation Facility: , Processing Facility:

Sample Collection Facility:

## Mellow Fellow Live Resin Disposable Vapes 0.5ml

### Introvert King Louis

Concentrates & Extracts, Distillate

TOTAL UNITS IN BATCH:  
units



## Mycotoxins

### Sample Prep

Tech: 3358

SOP: SOP 424-FL

Batch Number: WPMCFL-FL0816-0009147

Batch Date: 08/15/2026 21:09

### Sample Analysis

Date/Time: 08/18/2026 11:45

Tech: 4509

SOP: SOP 424-FL

Instrument: LC-MS/MS - 2998

Initial Weight: 0.104 g

Final Weight: 0.104 g

Dilution Factor for Sample: 2.5

Pass

| Analyte      | LOD (ppb) | LOQ (ppb) | Limit (ppb) | ppb | Status |
|--------------|-----------|-----------|-------------|-----|--------|
| B1           | 1.919     | 9.597     | 20.000      | ND  | Passed |
| B2           | 1.919     | 9.597     | 20.000      | ND  | Passed |
| G1           | 1.919     | 9.597     | 20.000      | ND  | Passed |
| G2           | 1.919     | 9.597     | 20.000      | ND  | Passed |
| Ochratoxin A | 1.919     | 9.597     | 20.000      | ND  | Passed |



*Sean Santiago*

Sean Santiago  
Lab Manager



# Certificate of Analysis

Amended  
R&D

CMTL-0004  
ACT Laboratories (FL)  
4001 SW 47th Ave Suite 208, Davie, Florida  
8448228522  
seansantiago@actlab.com

## Mellow Fellow

Order No.: OFLMWF0811-0016087  
1291 NW 65th pl  
Florida, 33309  
info@mellowfellow.com  
428256

## Sample: SFLMWF0811-CDIS-0008863

Unit Weight: .5000g, Sample Size for Testing: 2.0000 g  
Batch#: 2629750576  
COA Expiration Date: 08/11/2027  
**MMTC Information**  
Cultivation Facility: , Processing Facility:  
Sample Collection Facility:

## Mellow Fellow Live Resin Disposable Vapes 0.5ml

### Introvert King Louis

Concentrates & Extracts, Distillate

TOTAL UNITS IN BATCH:  
units



## Heavy Metals

### Sample Prep

Tech: 4509  
SOP: SOP 428-FL  
Batch Number: WMTLFL-FL0817-0009202  
Batch Date: 08/17/2026 19:28

### Sample Analysis

Date/Time: 08/18/2026 11:23  
Tech: 4509  
SOP: SOP 428-FL  
Instrument: ICP-MS - 2837  
Initial Weight: 0.233 g  
Final Weight: 0.233 g  
Dilution Factor for Sample: 50

Pass

| Analyte | LOD (ppb) | LOQ (ppb) | Limit (ppb) | ppb   | Status |
|---------|-----------|-----------|-------------|-------|--------|
| Arsenic | 8.791     | 80.403    | 200.000     | ND    | Passed |
| Cadmium | 5.789     | 80.403    | 200.000     | ND    | Passed |
| Mercury | 6.432     | 80.403    | 100.000     | ND    | Passed |
| Nickel  | 83.072    | 241.209   |             | < LOQ | Tested |
| Lead    | 5.789     | 241.209   | 500.000     | < LOQ | Passed |
| Tin     | 242.204   | 321.612   |             | ND    | Tested |



*Sean Santiago*

**Sean Santiago**  
Lab Manager





# Certificate of Analysis

Amended  
R&D

CMTL-0004  
ACT Laboratories (FL)  
4001 SW 47th Ave Suite 208, Davie, Florida  
8448228522  
seansantiago@actlab.com

## Mellow Fellow

Order No.: OFLMWF0811-0016087  
1291 NW 65th pl  
Florida, 33309  
info@mellowfellow.com  
428256

Sample: SFLMWF0811-CDIS-0008863

Unit Weight: .5000g, Sample Size for Testing: 2.0000 g

Batch#: 2629750576

COA Expiration Date: 08/11/2027

### MMTC Information

Cultivation Facility: , Processing Facility:

Sample Collection Facility:

## Mellow Fellow Live Resin Disposable Vapes 0.5ml

### Introvert King Louis

Concentrates & Extracts, Distillate

TOTAL UNITS IN BATCH:  
units



## Pesticides

### Sample Prep

Tech: 3358

SOP: SOP 424-FL

Batch Number: WPMCF-FL0816-0009147

Batch Date: 08/15/2026 21:09

### Sample Analysis

Date/Time: 08/18/2026 11:45

Tech: 4509, 4521

SOP: SOP 424-FL

Instrument: LC-MS/MS - 2998 / GC-MS/MS - 3017

Initial Weight: 0.623 g

Final Weight: 0.623 g

Dilution Factor for Sample: 2.5 (LCMS), 10 (GCMS)

Pass

| Analyte             | LOD (ppm) | LOQ (ppm) | Limit (ppm) | ppm | Status |
|---------------------|-----------|-----------|-------------|-----|--------|
| Abamectin           | 0.008     | 0.021     | 0.500       | ND  | Passed |
| Acephate            | 0.010     | 0.024     | 0.400       | ND  | Passed |
| Acequinocyl         | 0.010     | 0.024     | 2.000       | ND  | Passed |
| Acetamiprid         | 0.002     | 0.010     | 0.200       | ND  | Passed |
| Aldicarb            | 0.005     | 0.019     | 0.400       | ND  | Passed |
| Azoxystrobin        | 0.002     | 0.010     | 0.200       | ND  | Passed |
| Bifenazate          | 0.002     | 0.010     | 0.200       | ND  | Passed |
| Bifenthrin          | 0.010     | 0.024     | 0.200       | ND  | Passed |
| Boscalid            | 0.012     | 0.048     | 0.200       | ND  | Passed |
| Carbaryl            | 0.005     | 0.010     | 0.400       | ND  | Passed |
| Carbofuran          | 0.002     | 0.010     | 0.200       | ND  | Passed |
| Chlorantraniliprole | 0.002     | 0.010     | 0.200       | ND  | Passed |
| Chlorpyrifos        | 0.010     | 0.024     | 0.200       | ND  | Passed |
| Clofentezine        | 0.010     | 0.024     | 0.200       | ND  | Passed |
| Coumaphos           | 0.010     | 0.050     |             | ND  | Tested |
| Cyfluthrin          | 0.010     | 0.100     | 1.000       | ND  | Passed |
| Cypermethrin        | 0.010     | 0.100     | 1.000       | ND  | Passed |
| Daminozide          | 0.010     | 0.024     | 1.000       | ND  | Passed |
| Diazinon            | 0.002     | 0.010     | 0.200       | ND  | Passed |
| Dichlorvos          | 0.010     | 0.024     | 0.100       | ND  | Passed |
| Dimethoate          | 0.002     | 0.010     | 0.200       | ND  | Passed |
| Dimethomorph        | 0.003     | 0.011     |             | ND  | Tested |
| Ethoprophos         | 0.002     | 0.010     | 0.200       | ND  | Passed |
| Etofenprox          | 0.002     | 0.010     | 0.400       | ND  | Passed |
| Etiozole            | 0.002     | 0.010     | 0.200       | ND  | Passed |
| Fenhexamid          | 0.010     | 0.048     |             | ND  | Tested |
| Fenoxycarb          | 0.002     | 0.010     | 0.400       | ND  | Passed |
| Fenpyroximate       | 0.002     | 0.019     | 0.400       | ND  | Passed |
| Fipronil            | 0.002     | 0.010     | 0.400       | ND  | Passed |
| Flonicamid          | 0.005     | 0.019     | 1.000       | ND  | Passed |
| Fludioxonil         | 0.005     | 0.010     | 0.400       | ND  | Passed |
| Hexythiazox         | 0.005     | 0.019     | 1.000       | ND  | Passed |
| Imazalil            | 0.010     | 0.024     | 0.200       | ND  | Passed |
| Imidacloprid        | 0.024     | 0.120     | 0.400       | ND  | Passed |
| Kresoxim Methyl     | 0.005     | 0.010     | 0.400       | ND  | Passed |
| Malathion           | 0.019     | 0.048     | 0.200       | ND  | Passed |
| Mevinphos           | 0.009     | 0.022     |             | ND  | Tested |
| Metalaxyl           | 0.002     | 0.010     | 0.200       | ND  | Passed |
| Methiocarb          | 0.002     | 0.010     | 0.200       | ND  | Passed |
| Methomyl            | 0.002     | 0.010     | 0.400       | ND  | Passed |
| Myclobutanil        | 0.005     | 0.024     |             | ND  | Tested |
| Naled               | 0.019     | 0.024     | 0.500       | ND  | Passed |



Sean Santiago

Sean Santiago  
Lab Manager



# Certificate of Analysis

Amended  
R&D

CMTL-0004  
ACT Laboratories (FL)  
4001 SW 47th Ave Suite 208, Davie, Florida  
8448228522  
seansantiago@actlab.com

## Mellow Fellow

Order No.: OFLMWF0811-0016087  
1291 NW 65th pl  
Florida, 33309  
info@mellowfellow.com  
428256

Sample: SFLMWF0811-CDIS-0008863

Unit Weight: .5000g, Sample Size for Testing: 2.0000g

Batch#: 2629750576

COA Expiration Date: 08/11/2027

### MMTC Information

Cultivation Facility: , Processing Facility:

Sample Collection Facility:

## Mellow Fellow Live Resin Disposable Vapes 0.5ml

### Introvert King Louis

Concentrates & Extracts, Distillate

TOTAL UNITS IN BATCH:  
units



| Analyte                 | LOD (ppm) | LOQ (ppm) | Limit (ppm) | ppm | Status |
|-------------------------|-----------|-----------|-------------|-----|--------|
| Oxamyl                  | 0.002     | 0.010     | 1.000       | ND  | Passed |
| Paclobutrazol           | 0.002     | 0.010     | 0.400       | ND  | Passed |
| Permethrin              | 0.010     | 0.024     | 0.200       | ND  | Passed |
| Phosmet                 | 0.005     | 0.024     | 0.200       | ND  | Passed |
| Piperonyl Butoxide      | 0.002     | 0.010     | 2.000       | ND  | Passed |
| Prallethrin             | 0.010     | 0.024     | 0.200       | ND  | Passed |
| Propiconazole           | 0.010     | 0.024     | 0.400       | ND  | Passed |
| Propoxur                | 0.002     | 0.010     | 0.200       | ND  | Passed |
| Pyrethrins              | 0.032     | 0.064     | 1.000       | ND  | Passed |
| Pyridaben               | 0.002     | 0.010     | 0.200       | ND  | Passed |
| Spinetoram              | 0.007     | 0.017     |             | ND  | Tested |
| Spinosyn AD             | 0.010     | 0.041     | 0.200       | ND  | Passed |
| Spiromesifen            | 0.002     | 0.010     | 0.200       | ND  | Passed |
| Spirotetramat           | 0.005     | 0.024     | 0.200       | ND  | Passed |
| Spiroxamine             | 0.002     | 0.010     | 0.400       | ND  | Passed |
| Tebuconazole            | 0.010     | 0.024     | 0.400       | ND  | Passed |
| Thiacloprid             | 0.002     | 0.010     | 0.200       | ND  | Passed |
| Thiamethoxam            | 0.002     | 0.010     | 0.200       | ND  | Passed |
| Trifloxystrobin         | 0.002     | 0.010     | 0.200       | ND  | Passed |
| Methyl Parathion        | 0.010     | 0.020     | 0.200       | ND  | Passed |
| Chlordane               | 0.010     | 0.020     |             | ND  | Tested |
| Chlorfenapyr            | 0.010     | 0.020     | 1.000       | ND  | Passed |
| Chloromequat Chloride   | 0.002     | 0.010     | 0.200       | ND  | Passed |
| Pentachloronitrobenzene | 0.010     | 0.050     |             | ND  | Tested |



Sean Santiago  
Lab Manager