

Precision Fill and Pack LLC

Order No.: OFLMWF0916-0016976
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0916-IGUM-0009470

State: Tennessee
Unit Weight: 95.5000g, Sample Size for Testing: 4.5000 Units
Batch#: 2677790402
COA Expiration Date: 09/17/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin 20pc Edibles 300mg Dream
Blend Watermelon (Indica)
Ingestible, Gummy



Results

6.17 mg/dose
D9-THC

2.41 mg/dose
CBD

2.41 mg/dose
Total CBD

6.17 mg/dose
Total THC

12.9 mg/dose
Total Cannabinoids

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Foreign Matter Tested	Water Activity Pass	Homogeneity Not Tested
Terpenes Not Tested	Contaminant Load Not Tested	Residual Solvents Pass
Mycotoxins Pass	Heavy Metals Pass	Pesticides Pass
Kratom Not Tested	Contaminants Tested	



Certificate of Analysis

Amended

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Precision Fill and Pack LLC

Order No.: OFLMWF0916-0016976
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0916-IGUM-0009470

State: Tennessee
Unit Weight: 95.5000g, Sample Size for Testing: 4.5000 Units
Batch#: 2677790402
COA Expiration Date: 09/17/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin 20pc Edibles 300mg Dream
Blend Watermelon (Indica)
Ingestible, Gummy



Cannabinoids

Sample Prep

Tech: 4514, 4509
SOP: SOP 801
Batch Number: WCNDFL-FL0918-0011098
Batch Date: 09/18/2026 15:12

Sample Analysis

Date/Time: 10/08/2026 13:14
Tech: 4509
SOP: SOP 801
Instrument: HPLC - 3012
Initial Weight: 0.506 g
Initial Volume: -
Final Volume: -

Tested

Analyte	DF	LOD (mg/g)	LOQ (mg/g)	%	mg/g	mg/unit	mg/dose
CBDVa	40.0	0.001	0.04	ND	ND	ND	ND
CBDV	40.0	0.001	0.04	ND	ND	ND	ND
CBDa	40.0	0.006	0.04	ND	ND	ND	ND
CBGa	40.0	0.003	0.04	ND	ND	ND	ND
CBG	40.0	0.006	0.04	ND	ND	ND	ND
CBD	40.0	0.011	0.04	0.0521	0.521	49.715	2.408
THCV	40.0	0.003	0.04	< LOQ	< LOQ	< LOQ	< LOQ
THCVa	40.0	0.002	0.04	ND	ND	ND	ND
CBN	40.0	0.001	0.04	0.0465	0.465	44.384	2.149
D8-THC	40.0	0.007	0.04	0.0470	0.470	44.845	2.172
D9-THC	40.0	0.006	0.04	0.1334	1.334	127.361	6.168
D9-THCP	40.0	0.006	0.04	ND	ND	ND	ND
D10-THC	40.0	0.006	0.04	ND	ND	ND	ND
CBC	40.0	0.004	0.04	ND	ND	ND	ND
THCa	40.0	0.007	0.04	ND	ND	ND	ND
CBCa	40.0	0.011	0.04	ND	ND	ND	ND
CBT	40.0	0.008	0.04	ND	ND	ND	ND
EXO-THC	40.0	0.008	0.04	ND	ND	ND	ND
Total CBD				0.0521	0.521	49.715	2.408
Total THC				0.1334	1.334	127.361	6.168
Total Cannabinoids				0.2789	2.789	266.305	12.897



Sean Santiago
Sean Santiago
Lab Manager

Amend Note: Batch ID updated from 2677790401 to 2677790402

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this

Precision Fill and Pack LLC

Order No.: OFLMWF0916-0016976
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0916-IGUM-0009470

State: Tennessee
Unit Weight: 95.5000g, Sample Size for Testing: 4.5000 Units
Batch#: 2677790402
COA Expiration Date: 09/17/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin 20pc Edibles 300mg Dream
Blend Watermelon (Indica)
Ingestible, Gummy



Microbials

Sample Prep

Tech: 4516, 4302
SOP: SOP 406-FL & SOP 412-FL
Batch Number: WINCFL-FL0924-0011372
Batch Date: 09/24/2026 12:33

Sample Analysis

Date/Time: 09/25/2026 21:10
Tech: 4302, 4509
SOP: SOP 406-FL SOP & 412-FL
Instrument: AriaMx Real-Time PCR System - 2958 / Balance XSR104 2835 - 2835 / Aria Instrume
Initial Weight: 3.092 g
Initial Volume: -
Final Volume: -

Pass

Analyte	DF	Limit (CFU/g)	Result	Status
Yeast & Mold	1.00	10,000	ND	Passed
Salmonella	10.0	None Present	Absence	Passed
Aspergillus Flavus	10.0	None Present	Absence	Passed
Aspergillus Fumigatus	10.0	None Present	Absence	Passed
Aspergillus Niger	10.0	None Present	Absence	Passed
Aspergillus Terreus	10.0	None Present	Absence	Passed
STEC E. Coli	10.0	None Present	Absence	Passed
Total Aerobic Microbial Count	1,000	100,000	ND	Passed



Certificate of Analysis

Amended

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Precision Fill and Pack LLC

Order No.: OFLMWF0916-0016976
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0916-IGUM-0009470

State: Tennessee
Unit Weight: 95.5000g, Sample Size for Testing: 4.5000 Units
Batch#: 2677790402

COA Expiration Date: 09/17/2027

MMTC Information

Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin 20pc Edibles 300mg Dream

Blend Watermelon (Indica)

Ingestible, Gummy



Foreign Matter

Sample Prep/Analysis

Tech: 4302

SOP: SOP 409-FL

Batch Date: 09/24/2026 12:30

Sample Analysis

Date/Time: 09/24/2026 12:37

Tech: 4521

SOP: SOP 409-FL

Initial Weight: 1 g

Initial Volume: -

Final Volume: -

Tested

Analyte	%
FM Weight	0.00
FM Sample Area	0.00
Feces, Mold, Mildew, and/or Fungus	Absence



Sean Santiago

Sean Santiago
Lab Manager

Amend Note: Batch ID updated from 2677790401 to 2677790402

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this



Certificate of Analysis

Amended

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Precision Fill and Pack LLC

Order No.: OFLMWF0916-0016976
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0916-IGUM-0009470

State: Tennessee
Unit Weight: 95.5000g, Sample Size for Testing: 4.5000 Units
Batch#: 2677790402
COA Expiration Date: 09/17/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin 20pc Edibles 300mg Dream

Blend Watermelon (Indica)

Ingestible, Gummy



Water Activity

Sample Prep

Tech: 4524
SOP: SOP 206
Batch Number: WWAFL-FL0928-0011596
Batch Date: 09/28/2026 10:34

Sample Analysis

Date/Time: 09/28/2026 12:41
Tech: 4526
SOP: SOP 206
Instrument: Rotronic Water Activity Meter - 3530
Initial Weight: 1.083 g
Initial Volume: -
Final Volume: -

Pass

Analyte	Limit (aw)	aw	Status
Water Activity	0.85	0.57	Passed



Sean Santiago

Sean Santiago
Lab Manager

Amend Note: Batch ID updated from 2677790401 to 2677790402

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this

Precision Fill and Pack LLC

Order No.: OFLMWF0916-0016976
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0916-IGUM-0009470

State: Tennessee
Unit Weight: 95.5000g, Sample Size for Testing: 4.5000 Units
Batch#: 2677790402
COA Expiration Date: 09/17/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin 20pc Edibles 300mg Dream

Blend Watermelon (Indica)

Ingestible, Gummy



Residual Solvents

Sample Prep

Tech: 3358, 4509

SOP: SOP 405-FL

Batch Number: WRSVFL-FL0925-0011460

Batch Date: 09/25/2026 11:24

Sample Analysis

Date/Time: 09/28/2026 15:49

Tech: 4509

SOP: SOP 405-FL

Instrument: GCMS-HS - 3015

Initial Weight: 0.101 g

Initial Volume: -

Final Volume: -

Pass

Analyte	DF	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
1,2-Dichloroethane	1.00	0.7	1.0		ND	Tested
Acetone	1.00	2.0	20.0	1,000.0	ND	Passed
Acetonitrile	1.00	2.0	20.0		ND	Tested
Benzene	1.00	0.2	0.4	2.0	ND	Passed
Butane	1.00	10.0	20.0	1,000.0	ND	Passed
Chloroform	1.00	0.2	0.4		ND	Tested
Ethanol	1.00	20.0	40.0	5,000.0	ND	Passed
Ethyl Acetate	1.00	2.0	20.0	1,000.0	< LOQ	Passed
Ethyl Ether	1.00	20.0	40.0		ND	Tested
Ethylene Oxide	1.00	0.7	2.0		ND	Tested
Heptane	1.00	20.0	40.0	1,000.0	ND	Passed
Hexanes	1.00	4.0	8.0	60.0	ND	Passed
Isopropyl Alcohol	1.00	20.0	40.0	1,000.0	ND	Passed
Methanol	1.00	20.0	40.0	600.0	ND	Passed
Methylene Chloride	1.00	20.0	40.0		ND	Tested
Pentanes	1.00	6.7	13.3	1,000.0	ND	Passed
Propane	1.00	2.0	20.0	1,000.0	ND	Passed
Toluene	1.00	2.0	20.0	180.0	ND	Passed
Trichloroethylene	1.00	1.0	2.0		ND	Tested
Total Xylenes				430.0	ND	Passed
1,1-Dichloroethene	1.00	0.7	2.0		ND	Tested



Certificate of Analysis

Amended

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Precision Fill and Pack LLC

Order No.: OFLMWF0916-0016976
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0916-IGUM-0009470

State: Tennessee
Unit Weight: 95.5000g, Sample Size for Testing: 4.5000 Units
Batch#: 2677790402
COA Expiration Date: 09/17/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin 20pc Edibles 300mg Dream
Blend Watermelon (Indica)
Ingestible, Gummy



Mycotoxins

Sample Prep

Tech: 3358
SOP: SOP 424-FL
Batch Number: WPMCFL-FL0924-0011401
Batch Date: 09/24/2026 15:01

Sample Analysis

Date/Time: 09/25/2026 16:35
Tech: 4521
SOP: SOP 424-FL
Instrument: LC-MS/MS - 2998
Initial Weight: 0.11 g
Initial Volume: -
Final Volume: -

Pass

Analyte	DF	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
B1	2.50	1.818	9.091	20.000	ND	Passed
B2	2.50	1.818	9.091	20.000	ND	Passed
G1	2.50	1.818	9.091	20.000	ND	Passed
G2	2.50	1.818	9.091	20.000	ND	Passed
Ochratoxin A	2.50	1.818	9.091	20.000	ND	Passed



Sean Santiago
Sean Santiago
Lab Manager

Amend Note: Batch ID updated from 2677790401 to 2677790402

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this



Certificate of Analysis

Amended

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Precision Fill and Pack LLC

Order No.: OFLMWF0916-0016976
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0916-IGUM-0009470

State: Tennessee
Unit Weight: 95.5000g, Sample Size for Testing: 4.5000 Units
Batch#: 2677790402
COA Expiration Date: 09/17/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin 20pc Edibles 300mg Dream
Blend Watermelon (Indica)
Ingestible, Gummy



Heavy Metals

Sample Prep

Tech: 4526
SOP: SOP 428-FL
Batch Number: WMTLFL-FL0924-0011388
Batch Date: 09/24/2026 13:20

Sample Analysis

Date/Time: 09/28/2026 18:25
Tech: 4509
SOP: SOP 428-FL
Instrument: ICP-MS - 2837
Initial Weight: 0.235 g
Initial Volume: -
Final Volume: -

Pass

Analyte	DF	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
Arsenic	50.0	8.705	79.618	200.000	< LOQ	Passed
Cadmium	50.0	5.733	79.618	200.000	ND	Passed
Mercury	50.0	6.369	79.618	100.000	ND	Passed
Nickel	50.0	82.166	238.854		< LOQ	Tested
Lead	50.0	5.733	238.854	500.000	< LOQ	Passed
Tin	50.0	239.915	318.471		ND	Tested



Sean Santiago
Sean Santiago
Lab Manager

Amend Note: Batch ID updated from 2677790401 to 2677790402

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this

Precision Fill and Pack LLC

Order No.: OFLMWF0916-0016976
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0916-IGUM-0009470

State: Tennessee
Unit Weight: 95.5000g, Sample Size for Testing: 4.5000 Units
Batch#: 2677790402
COA Expiration Date: 09/17/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin 20pc Edibles 300mg Dream
Blend Watermelon (Indica)
Ingestible, Gummy



Pesticides

Sample Prep

Tech: 3358
SOP: SOP 424-FL
Batch Number: WPMCFL-FL0924-0011401
Batch Date: 09/24/2026 15:01

Sample Analysis

Date/Time: 09/25/2026 16:35
Tech: 4521, 4509
SOP: SOP 424-FL
Instrument: LC-MS/MS - 2998 / GC-MS/MS - 3005
Initial Weight: 0.641 g
Initial Volume: -
Final Volume: -

Pass

Analyte	DF	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Abamectin	2.50	0.008	0.020	0.500	ND	Passed
Acephate	2.50	0.009	0.023	0.400	ND	Passed
Acequinocyl	2.50	0.009	0.023	2.000	ND	Passed
Acetamiprid	2.50	0.002	0.009	0.200	ND	Passed
Aldicarb	2.50	0.005	0.018	0.400	ND	Passed
Azoxystrobin	2.50	0.002	0.009	0.200	ND	Passed
Bifenazate	2.50	0.002	0.009	0.200	ND	Passed
Bifenthrin	2.50	0.009	0.023	0.200	ND	Passed
Boscalid	2.50	0.011	0.045	0.200	ND	Passed
Carbaryl	2.50	0.005	0.009	0.400	ND	Passed
Carbofuran	2.50	0.002	0.009	0.200	ND	Passed
Chlorantraniliprole	2.50	0.002	0.009	0.200	ND	Passed
Chlorpyrifos	2.50	0.009	0.023	0.200	ND	Passed
Clofentezine	2.50	0.009	0.023	0.200	ND	Passed
Coumaphos	10.0	0.010	0.050		ND	Tested
Cyfluthrin	10.0	0.010	0.100	1.000	ND	Passed
Cypermethrin	10.0	0.010	0.100	1.000	ND	Passed
Daminozide	2.50	0.009	0.023	1.000	ND	Passed
Diazinon	2.50	0.002	0.009	0.200	ND	Passed
Dichlorvos	2.50	0.009	0.023	0.100	ND	Passed
Dimethoate	2.50	0.002	0.009	0.200	ND	Passed
Dimethomorph	2.50	0.003	0.010		ND	Tested
Ethoprophos	2.50	0.002	0.009	0.200	ND	Passed
Etofenprox	2.50	0.002	0.009	0.400	ND	Passed
Ettoxazole	2.50	0.002	0.009	0.200	ND	Passed
Fenhexamid	2.50	0.009	0.045		ND	Tested
Fenoxycarb	2.50	0.002	0.009	0.400	ND	Passed
Fenpyroximate	2.50	0.002	0.018	0.400	ND	Passed
Fipronil	2.50	0.002	0.009	0.400	ND	Passed
Flonicamid	2.50	0.005	0.018	1.000	ND	Passed
Fludioxonil	2.50	0.005	0.009	0.400	ND	Passed
Hexythiazox	2.50	0.005	0.018	1.000	ND	Passed
Imazalil	2.50	0.009	0.023	0.200	ND	Passed
Imidacloprid	2.50	0.023	0.114	0.400	ND	Passed
Kresoxim Methyl	2.50	0.005	0.009	0.400	ND	Passed
Malathion	2.50	0.018	0.045	0.200	ND	Passed



Precision Fill and Pack LLC

Order No.: OFLMWF0916-0016976
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0916-IGUM-0009470

State: Tennessee
Unit Weight: 95.5000g, Sample Size for Testing: 4.5000 Units
Batch#: 2677790402

COA Expiration Date: 09/17/2027

MMTC Information

Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin 20pc Edibles 300mg Dream

Blend Watermelon (Indica)

Ingestible, Gummy



Analyte	DF	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Mevinphos	2.50	0.008	0.020		ND	Tested
Metalaxyl	2.50	0.002	0.009	0.200	ND	Passed
Methiocarb	2.50	0.002	0.009	0.200	ND	Passed
Methomyl	2.50	0.002	0.009	0.400	ND	Passed
Myclobutanil	2.50	0.005	0.023	0.200	ND	Passed
Naled	2.50	0.018	0.023	0.500	ND	Passed
Oxamyl	2.50	0.002	0.009	1.000	ND	Passed
Paclobutrazol	2.50	0.002	0.009	0.400	ND	Passed
Permethrin	2.50	0.009	0.023	0.200	ND	Passed
Phosmet	2.50	0.005	0.023	0.200	ND	Passed
Piperonyl Butoxide	2.50	0.002	0.009	2.000	ND	Passed
Prallethrin	2.50	0.009	0.023	0.200	ND	Passed
Propiconazole	2.50	0.009	0.023	0.400	ND	Passed
Propoxur	2.50	0.002	0.009	0.200	ND	Passed
Pyrethrins	2.50	0.030	0.060	1.000	ND	Passed
Pyridaben	2.50	0.002	0.009	0.200	ND	Passed
Spinetoram	2.50	0.007	0.016		ND	Tested
Spinosyn AD	2.50	0.009	0.038	0.200	ND	Passed
Spiromesifen	2.50	0.002	0.009	0.200	ND	Passed
Spirotetramat	2.50	0.005	0.023	0.200	ND	Passed
Spiroxamine	2.50	0.002	0.009	0.400	ND	Passed
Tebuconazole	2.50	0.009	0.023	0.400	ND	Passed
Thiacloprid	2.50	0.002	0.009	0.200	ND	Passed
Thiamethoxam	2.50	0.002	0.009	0.200	ND	Passed
Trifloxystrobin	2.50	0.002	0.009	0.200	ND	Passed
Methyl Parathion	10.0	0.010	0.020	0.200	ND	Passed
Chlordane	10.0	0.010	0.020		ND	Tested
Chlorfenapyr	10.0	0.010	0.020	1.000	ND	Passed
Chlormequat Chloride	2.50	0.002	0.009	0.200	ND	Passed
Pentachloronitrobenzene	10.0	0.010	0.050		ND	Tested



Certificate of Analysis

Amended

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Precision Fill and Pack LLC

Order No.: OFLMWF0916-0016976
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0916-IGUM-0009470

State: Tennessee
Unit Weight: 95.5000g, Sample Size for Testing: 4.5000 Units
Batch#: 2677790402
COA Expiration Date: 09/17/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin 20pc Edibles 300mg Dream

Blend Watermelon (Indica)

Ingestible, Gummy



Contaminants

Sample Prep

Tech: 3358

SOP: SOP 805-MI

Batch Number: WRSVFL-FL0925-0011460

Batch Date: 09/25/2026 11:24

Sample Analysis

Date/Time: 09/28/2026 15:49

Tech: 4509

SOP: SOP 805-MI

Instrument: GCMS-HS - 3015

Initial Weight: 0.101 g

Initial Volume: -

Final Volume: -

Tested

Analyte	LOD (ppm)	LOQ (ppm)	Result
Diacetyl ♦			



Sean Santiago

Sean Santiago
Lab Manager

Amend Note: Batch ID updated from 2677790401 to 2677790402

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this