



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED



Batch #: 253112111603
Batch Date: 02/16/26
Production Method: Other - Not Listed
Total Amount: 1 units
Retail Product Size: 1 gram
Retail Serving Size: 0.002083 gram
Servings: 480

Lab ID: MI60220008-007
Sampled: 02/19/26
Sample Size: 15 gram
Completed: 03/12/26

Mellow Fellow

1100 NW 51st CT
Fort Lauderdale, FL, 33309, US

Oil Manufacturer:
Arvida Labs LLC
1291 NW 65th Pl
Fort Lauderdale, FL 33309
Permit: 406287

SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration/Foreign
Material
PASSED



Water Activity
PASSED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Pesticide

PASSED

ANALYTES

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD (PESTICIDES)	ppm	0.0100	0.0500	5	PASS	ND	
TOTAL DIMETHOMORPH	ppm	0.0100	0.0500	0.2	PASS	ND	
TOTAL PERMETHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
TOTAL PYRETHRINS	ppm	0.0100	0.0500	0.5	PASS	ND	
TOTAL SPINETORAM	ppm	0.0100	0.0500	0.2	PASS	ND	
TOTAL SPINOSAD	ppm	0.0100	0.0500	0.1	PASS	ND	
ABAMECTIN B1A	ppm	0.0100	0.0500	0.3	PASS	ND	
ACEPHATE	ppm	0.0100	0.0500	3	PASS	ND	
ACEQUINOCYL	ppm	0.0100	0.0500	2	PASS	ND	
ACETAMIPRID	ppm	0.0100	0.0500	3	PASS	ND	
ALDICARB	ppm	0.0100	0.0500	0.1	PASS	ND	
AZOXYSTROBIN	ppm	0.0100	0.0500	3	PASS	ND	
BIFENAZATE	ppm	0.0100	0.0500	3	PASS	ND	
CHLORPYRIFOS	ppm	0.0100	0.0500	0.1	PASS	ND	
BIFENTHRIN	ppm	0.0100	0.0500	0.5	PASS	ND	
BOSCALID	ppm	0.0100	0.0500	3	PASS	ND	
CARBARYL	ppm	0.0100	0.0500	0.5	PASS	ND	
CLOFENTEZINE	ppm	0.0100	0.0500	0.5	PASS	ND	
CARBOFURAN	ppm	0.0100	0.0500	0.1	PASS	ND	
COUMAPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORANTRANILIPROLE	ppm	0.0100	0.0500	3	PASS	ND	
DAMINOZIDE	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORMEQUAT CHLORIDE	ppm	0.0100	0.0500	3	PASS	ND	
DIAZINON	ppm	0.0100	0.0500	0.1	PASS	ND	
DICHLORVOS	ppm	0.0100	0.0500	0.1	PASS	ND	
DIMETHOATE	ppm	0.0100	0.0500	0.1	PASS	ND	
ETHOPROPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
ETOFENPROX	ppm	0.0100	0.0500	0.1	PASS	ND	
ETOXAZOLE	ppm	0.0100	0.0500	1.5	PASS	ND	
FENHEXAMID	ppm	0.0100	0.0500	3	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
03/12/26



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Mellow Fellow Live Resin Vape Cartridges 1ml Desire Blend Cali Gas (Hybrid)

Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

Kaycha Labs

Strain: Cali Gas

Matrix: Derivative

Classification: Other Cannabinoid Dominant



Certificate of Analysis

Pages 2 of 7

Mellow Fellow

1100 NW 51st CT
Fort Lauderdale, FL, 33309, US

Sample: MI60220008-007

Batch #: 253112111603

Ordered: 02/19/26

Sampled: 02/19/26

Completed: 03/12/26

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FENOXYCARB	ppm	0.0100	0.0500	0.1	PASS	ND	
FENPYROXIMATE	ppm	0.0100	0.0500	2	PASS	ND	
FIPRONIL	ppm	0.0100	0.0500	0.1	PASS	ND	
FLONICAMID	ppm	0.0100	0.0500	2	PASS	ND	
FLUDIOXONIL	ppm	0.0100	0.0500	3	PASS	ND	
HEXYTHIAZOX	ppm	0.0100	0.0500	2	PASS	ND	
IMAZALIL	ppm	0.0100	0.0500	0.1	PASS	ND	
IMIDACLOPRID	ppm	0.0100	0.0500	3	PASS	ND	
KRESOXIM-METHYL	ppm	0.0100	0.0500	1	PASS	ND	
MALATHION	ppm	0.0100	0.0500	2	PASS	ND	
METALAXYL	ppm	0.0100	0.0500	3	PASS	ND	
METHIOCARB	ppm	0.0100	0.0500	0.1	PASS	ND	
METHOMYL	ppm	0.0100	0.0500	0.1	PASS	ND	
MEVINPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
MYCLOBUTANIL	ppm	0.0100	0.0500	3	PASS	ND	
NALED	ppm	0.0100	0.0500	0.5	PASS	ND	
OXAMYL	ppm	0.0100	0.0500	0.5	PASS	ND	
PACLOBUTRAZOL	ppm	0.0100	0.0500	0.1	PASS	ND	
PHOSMET	ppm	0.0100	0.0500	0.2	PASS	ND	
PIPERONYL BUTOXIDE	ppm	0.0100	0.0500	3	PASS	ND	
PRALLETHRIN	ppm	0.0100	0.0500	0.4	PASS	ND	
PROPICONAZOLE	ppm	0.0100	0.0500	1	PASS	ND	
PROPOXUR	ppm	0.0100	0.0500	0.1	PASS	ND	
PYRETHRIN I	ppm	0.0100	0.0500	1	PASS	ND	
PYRETHRIN II	ppm	0.0100	0.0500	1	PASS	ND	
PYRIDABEN	ppm	0.0100	0.0500	3	PASS	ND	
SPIROMESIFEN	ppm	0.0100	0.0500	3	PASS	ND	
SPIROTETRAMAT	ppm	0.0100	0.0500	3	PASS	ND	
SPIROXAMINE	ppm	0.0100	0.0500	0.1	PASS	ND	
TEBUCONAZOLE	ppm	0.0100	0.0500	1	PASS	ND	
THIACLOPRID	ppm	0.0100	0.0500	0.1	PASS	ND	
THIAMETHOXAM	ppm	0.0100	0.0500	1	PASS	ND	
TRIFLOXYSTROBIN	ppm	0.0100	0.0500	3	PASS	ND	
PENTACHLORONITROBENZENE (PCNB)	ppm	0.0100	0.0500	0.15	PASS	ND	
PARATHION-METHYL	ppm	0.0100	0.0500	0.1	PASS	ND	
CAPTAN	ppm	0.0700	0.350	0.7	PASS	ND	
CHLORDANE	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORFENAPYR	ppm	0.0100	0.0500	0.1	PASS	ND	
CYFLUTHRIN	ppm	0.0500	0.250	0.5	PASS	ND	
CYPERMETHRIN	ppm	0.0500	0.250	0.5	PASS	ND	

Analyzed by:
3379, 585, 1440

Weight:
0.2069g

Extraction date:
02/20/26 14:20:37

Extracted by:
450,3379

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI095986PES

Instrument Used : DA-LCMS-005 (PES)

Analyzed Date : 02/23/26 11:34:42

Batch Date : 02/20/26 12:24:56

Dilution : 250

Reagent : 021826.R15; 012026.01; 021826.R14; 020526.R13; 020526.R14; 102025.R21; 021826.R12

Consumables : 927.100; 030125CH01; 6698360-03

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
03/12/26



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Mellow Fellow Live Resin Vape Cartridges 1ml Desire Blend Cali Gas (Hybrid)
Strain: Cali Gas
Matrix: Derivative
Classification: Other Cannabinoid Dominant
Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

Kaycha Labs



Certificate of Analysis

Pages 3 of 7

Mellow Fellow

1100 NW 51st CT
Fort Lauderdale, FL, 33309, US

Sample: MI60220008-007

Batch #: 253112111603

Ordered: 02/19/26

Sampled: 02/19/26

Completed: 03/12/26

PASSED

	Pesticide	PASSED
--	------------------	---------------

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 450, 585, 1440	Weight: 0.2069g	Extraction date: 02/20/26 14:20:37				Extracted by: 450,3379	
Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : MI095988VOL Instrument Used : DA-GCMS-011 Analyzed Date : 02/23/26 11:34:07 Batch Date : 02/20/26 12:25:42 Dilution : 250 Reagent : 021826.R15; 012026.01; 021026.R22; 021026.R23 Consumables : 927.100; 030125CH01; 6698360-03; 17473601 Pipette : DA-080; DA-146; DA-218							
Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

	Residual Solvents	PASSED
--	--------------------------	---------------

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
1,1-DICHLOROETHENE	ppm	0.800	4.00	8	PASS	ND	
1,2-DICHLOROETHANE	ppm	0.200	1.00	5	PASS	ND	
2-PROPANOL	ppm	50.0	250	500	PASS	ND	
ACETONE	ppm	75.0	375	5000	PASS	ND	
ACETONITRILE	ppm	6.00	30.0	410	PASS	ND	
BENZENE	ppm	0.100	0.500	2	PASS	ND	
BUTANES (N-BUTANE)	ppm	500	2500	2000	PASS	ND	
CHLOROFORM	ppm	0.200	1.00	60	PASS	ND	
DICHLOROMETHANE	ppm	12.5	62.5	600	PASS	ND	
ETHANOL	ppm	500	2500	5000	PASS	ND	
ETHYL ACETATE	ppm	40.0	200	5000	PASS	ND	
ETHYL ETHER	ppm	50.0	250	5000	PASS	ND	
ETHYLENE OXIDE	ppm	0.500	2.50	5	PASS	ND	
HEPTANE	ppm	500	2500	5000	PASS	ND	
METHANOL	ppm	25.0	125	3000	PASS	ND	
N-HEXANE	ppm	25.0	125	290	PASS	ND	
PENTANES (N-PENTANE)	ppm	75.0	375	5000	PASS	ND	
PROPANE	ppm	500	2500	2100	PASS	ND	
TOLUENE	ppm	15.0	75.0	890	PASS	ND	
TOTAL XYLENES	ppm	15.0	75.0	150	PASS	ND	
TRICHLOROETHYLENE	ppm	2.50	12.5	80	PASS	ND	
XYLENES-M&P (1,3&1,4-DIMETHYLBENZENE)	ppm	27.0	75.0	2170	PASS	ND	
XYLENES-O (1,2-DIMETHYLBENZENE)	ppm	13.5	75.0	2170	PASS	ND	
Analyzed by: 4444, 585, 1440	Weight: 0.0241g	Extraction date: 02/20/26 13:38:14				Extracted by: 4444	
Analysis Method : SOP.T.40.041.FL Analytical Batch : MI095990SOL Instrument Used : DA-GCMS-003 Analyzed Date : 02/23/26 11:35:19 Batch Date : 02/20/26 13:14:32 Dilution : 1 Reagent : 061323.02 Consumables : 431526; 325202 Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)							
Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
03/12/26



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Mellow Fellow Live Resin Vape Cartridges 1ml Desire Blend Cali Gas (Hybrid)

Kaycha Labs

Strain: Cali Gas

Matrix: Derivative

Classification: Other Cannabinoid Dominant

Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.



Certificate of Analysis

Pages 4 of 7

Mellow Fellow

1100 NW 51st CT
Fort Lauderdale, FL, 33309, US

Sample: MI60220008-007

Batch #: 253112111603

Ordered: 02/19/26

Sampled: 02/19/26

Completed: 03/12/26

PASSED



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS					PASS	Not Present	
SALMONELLA SPECIFIC GENE					PASS	Not Present	
ASPERGILLUS FUMIGATUS					PASS	Not Present	
ECOLI - SHIGELLA					PASS	Not Present	
ASPERGILLUS TERREUS					PASS	Not Present	
ASPERGILLUS NIGER					PASS	Not Present	
TOTAL YEAST AND MOLD	CFU/g	10.0	10.0	100000	PASS	<10.0	

Analyzed by: 4892, 4520, 585, 1440	Weight: 1.023g	Extraction date: 02/20/26 12:55:47	Extracted by: 4892
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.056C

Analytical Batch : MI095979MIC

Instrument Used : DA-111 (PathogenDx Scanner),DA-013 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)

Batch Date : 02/20/26 12:19:38

Analyzed Date : 02/23/26 12:03:23

Dilution : 10

Reagent : 101525.56; 101525.77; 010526.R34; 092525.05

Consumables : 7588002033

Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4571, 5008, 585, 1440	Weight: 1.174g	Extraction date: 02/20/26 12:52:50	Extracted by: 4892
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.209.FL

Analytical Batch : MI095980TYM

Instrument Used : DA-328 (25°C Incubator)

Batch Date : 02/20/26 12:20:25

Analyzed Date : 02/23/26 11:36:11

Dilution : 10

Reagent : 021226.31; 111425.35; 010626.R20

Consumables : N/A

Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Extended Cannabinoids

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT) QUALIFIER
D8-THC (G)	0.00100	0.00100		TESTED	24.1	241
(9R)-HHC (G)	0.00100	0.00100		TESTED	23.1	231
(9S)-HHC (G)	0.00100	0.00100		TESTED	11.4	114
CBG (G)	0.00100	0.00100		TESTED	4.53	45.3
CBD (G)	0.00100	0.00100		TESTED	4.10	41.0
D9-THCH (G)	0.00100	0.00100		TESTED	0.868	8.68
CBN (G)	0.00100	0.00100		TESTED	0.439	4.39
D6A,10A-THC (G)	0.00100	0.00100		TESTED	0.357	3.57
CBDH (G)	0.00100	0.00100		TESTED	0.174	1.74
D8-THCH (G)	0.00100	0.00100		TESTED	0.115	1.15
D8-THCB (G)	0.00100	0.00100		TESTED	0.0529	0.529
D4(8)-ISO-THC (G)	0.00100	0.00100		TESTED	0.0183	0.183
D9-THC (G)	0.00100	0.00100		TESTED	0.00662	0.0662
(1R)-H4-CBD (G)	0.00100	0.00100		TESTED	ND	ND
(1S)-H4-CBD (G)	0.00100	0.00100		TESTED	ND	ND
(9R)-D10-THC (G)	0.00100	0.00100		TESTED	ND	ND
(9S)-D10-THC (G)	0.00100	0.00100		TESTED	ND	ND
CBC (G)	0.00100	0.00100		TESTED	ND	ND

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
03/12/26



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Mellow Fellow Live Resin Vape Cartridges 1ml Desire Blend Cali Gas (Hybrid)
Strain: Cali Gas
Matrix: Derivative
Classification: Other Cannabinoid Dominant
Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and
suppositories.

Kaycha Labs



Certificate of Analysis

Pages 5 of 7

Mellow Fellow

1100 NW 51st CT
Fort Lauderdale, FL, 33309, US

Sample: MI60220008-007

Batch #: 253112111603

Ordered: 02/19/26

Sampled: 02/19/26

Completed: 03/12/26

PASSED



Extended Cannabinoids

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT) QUALIFIER
CBCV (G)	0.00100	0.00100	TESTED	ND	ND	
CBD-C8 (G)	0.00100	0.00100	TESTED	ND	ND	
CBDB (G)	0.00100	0.00100	TESTED	ND	ND	
CBDP (G)	0.00100	0.00100	TESTED	ND	ND	
CBDV (G)	0.00100	0.00100	TESTED	ND	ND	
CBL (G)	0.00100	0.00100	TESTED	ND	ND	
CBN ACETATE (G)	0.00100	0.00100	TESTED	ND	ND	
CBNP (G)	0.00100	0.00100	TESTED	ND	ND	
CBT (G)	0.00100	0.00100	TESTED	ND	ND	
D8-THC-C8 (G)	0.00100	0.00100	TESTED	ND	ND	
D8-THCO (G)	0.00100	0.00100	TESTED	ND	ND	
D8-THCP (G)	0.00100	0.00100	TESTED	ND	ND	
D8-ISO-THC (G)	0.00100	0.00100	TESTED	ND	ND	
D9-THC ACETATE (G)	0.00100	0.00100	TESTED	ND	ND	
D9-THC-C8 (G)	0.00100	0.00100	TESTED	ND	ND	
D9-THCB (G)	0.00100	0.00100	TESTED	ND	ND	
D9-THCO (G)	0.00100	0.00100	TESTED	ND	ND	
D9-THCP (G)	0.00100	0.00100	TESTED	ND	ND	
D9-THCV (G)	0.00100	0.00100	TESTED	ND	ND	
EXO-THC (G)	0.00100	0.00100	TESTED	ND	ND	

Analyzed by:
450, 585, 1440

Weight:
0.1075g

Extraction date:
02/21/26 00:09:49

Extracted by:
795

Analysis Method : SOP.T.40.0141
Analytical Batch : MI095993CAN
Instrument Used : DA-GCMS-010
Analyzed Date : 03/12/26 14:39:15

Batch Date : 02/20/26 13:40:52

Dilution : 80
Reagent : N/A
Consumables : N/A
Pipette : N/A

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection, along with Gas Chromatography Mass Spectrometry.



Mycotoxins

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B2	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN B1	ppm	0.00200	0.0100	0.02	PASS	ND	
OCHRATOXIN A	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN G1	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN G2	ppm	0.00200	0.0100	0.02	PASS	ND	

Analyzed by:
3379, 585, 1440

Weight:
0.2069g

Extraction date:
02/20/26 14:20:37

Extracted by:
450,3379

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI095987MYC
Instrument Used : DA-LCMS-005 (MYC)
Analyzed Date : 02/23/26 11:32:19

Batch Date : 02/20/26 12:25:40

Dilution : 250
Reagent : 021826.R15; 012026.01; 021826.R14; 020526.R13; 020526.R14; 102025.R21; 021826.R12
Consumables : 927.100; 030125CH01; 6698360-03
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
03/12/26



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Mellow Fellow Live Resin Vape Cartridges 1ml Desire Blend Cali Gas (Hybrid)
Strain: Cali Gas
Matrix: Derivative
Classification: Other Cannabinoid Dominant
Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

Kaycha Labs



Certificate of Analysis

Pages 6 of 7

Mellow Fellow

1100 NW 51st CT
Fort Lauderdale, FL, 33309, US

Sample: MI60220008-007

Batch #: 253112111603

Ordered: 02/19/26

Sampled: 02/19/26

Completed: 03/12/26

PASSED



Water Activity

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY		aw	0.010	0.10	0.85	PASS	0.47	
Analyzed by: 450, 4056, 585, 1440		Weight: 0.425g	Extraction date: 02/20/26 15:02:52			Extracted by: 450,4056		
Analysis Method : SOP.T.40.019								
Analytical Batch : MI095974WAT								
Instrument Used : DA-028 Rotronic Hygropalm					Batch Date : 02/20/26 10:33:38			
Analyzed Date : 02/20/26 16:31:06								
Dilution : N/A								
Reagent : 091525.03								
Consumables : PS-14								
Pipette : N/A								



Heavy Metals

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD METALS		ppm	0.0800	0.400	1.1	PASS	ND	
ARSENIC		ppm	0.0200	0.100	1.5	PASS	ND	
CADMIUM		ppm	0.0200	0.100	0.5	PASS	ND	
MERCURY		ppm	0.0200	0.100	3	PASS	ND	
LEAD		ppm	0.0200	0.100	0.5	PASS	ND	
Analyzed by: 1022, 585, 1440		Weight: 0.2191g		Extraction date: 02/20/26 12:58:16		Extracted by: 1022		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL								
Analytical Batch : MI095964HEA								
Instrument Used : DA-ICPMS-005				Batch Date : 02/20/26 09:47:09				
Analyzed Date : 02/23/26 09:46:02								
Dilution : 50								
Reagent : 012626.R24; 020326.R11; 021726.R14; 021726.R01; 021726.R11; 021726.R13; 020526.01; 020326.R12; 061323.01								
Consumables : 030125CH01; J609879-0193; 179436								
Pipette : DA-061; DA-191; DA-215								
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.								



Vitamin E

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
VITAMIN E ACETATE		ppm	0.0750	0.250	100	PASS	ND	
Analyzed by: 53, 585, 1440	Weight: 0.1075g	Extraction date: 02/24/26 14:45:55			Extracted by: 585			
Analysis Method : N/A								
Analytical Batch : MI096063VIT								
Instrument Used : MI-LC-001								
Batch Date : 02/23/26 14:30:06								
Analyzed Date : 02/27/26 15:22:51								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
03/12/26



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Mellow Fellow Live Resin Vape Cartridges 1ml Desire Blend Cali Gas (Hybrid)

Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

Kaycha Labs

Strain: Cali Gas

Matrix: Derivative

Classification: Other Cannabinoid Dominant



Certificate of Analysis

Pages 7 of 7

Mellow Fellow

1100 NW 51st CT
Fort Lauderdale, FL, 33309, US

Sample: MI60220008-007

Batch #: 253112111603

Ordered: 02/19/26

Sampled: 02/19/26

Completed: 03/12/26

PASSED



Filth/Foreign Material

PASSED

ANALYTES

FILTH AND FOREIGN MATERIAL

UNIT

LOD

LOQ

LIMIT

PASS/FAIL

RESULT

QUALIFIER

%

0.100

0.500

1

PASS

ND

Analyzed by:

4571, 585, 1440

Weight:

1g

Extraction date:

02/20/26 15:49:37

Extracted by:

4571

Analysis Method : SOP.T.40.090

Analytical Batch : MI095971FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 02/20/26 16:38:50

Batch Date : 02/20/26 10:28:45

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

-

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
03/12/26



Certificate of Analysis

Compliance Test

Client Information:

Mellow Fellow
1100 NW 51st CT
Fort Lauderdale, FL
33309

Manufacturing Facility:

Arvida Labs LLC
1291 NW 65th Pl
Unit B
Fort Lauderdale, FL 33309

Batch Data:

Batch # 253112111603
Batch Date: 2026-02-16
Extracted From: Hemp

Order Details:

Test Reg State: Florida

Food Permits:

State: FL - #406287

Order

MEL260226-500001
Order Date: 2026-02-26
Sample # AAHL891

Sampling Date: 2026-03-09

Lab Batch Date: 2026-03-09
Completion Date: 2026-03-13

Initial Gross Weight: 25.600 g

Net Weight per Package:

1000.000 mg

Servings Per Package:

1




Product Image



2,3-Butanedione
Passed

No Potency Summary on this page.



Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta 8-THCP + Delta 9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample, (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Client supplied the net weight of ml The results apply to the sample as received. This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The scope of this analysis is limited to the parameters listed in this COA. Testing for food additives (e.g., preservatives, colorant, flavor enhancers) was not conducted. Therefore, no conclusions should be drawn regarding the presence or absence of such additives. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number



Certificate of Analysis

Compliance Test

Client Information:
Mellow Fellow
1100 NW 51st CT
Fort Lauderdale, FL
33309

Manufacturing Facility:
Arvida Labs LLC
1291 NW 65th PI
Unit B
Fort Lauderdale, FL 33309

Batch Data:
Batch # 253112111603
Batch Date: 2026-02-16
Extracted From: Hemp

Order Details:
Test Reg State: Florida

Food Permits:
State: FL - #406287

Order #
MEL260226-500001
Order Date: 2026-02-26
Sample # AAHL891

Sampling Date: 2026-03-09
Lab Batch Date: 2026-03-09
Completion Date: 2026-03-13

Initial Gross Weight: 25.600 g

Net Weight per Package:
1000.000 mg

Servings Per Package:
1



2,3-butanedione(Diacetyl)
Specimen Weight: 16.700 mg

Passed
SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)
2,3-Butanedione	0.024	0.024	<LOQ

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The scope of this analysis is limited to the parameters listed in this COA. Testing for food additives (e.g., preservatives, colorant, flavor enhancers) was not conducted. Therefore, no conclusions should be drawn regarding the presence or absence of such additives. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number