



Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

**Pages 1 of 7**

# PASSED



**Lab ID:** MI60219010-008  
**Sampled:** 02/19/26  
**Sample Size:** 15 gram  
**Completed:** 03/10/26

1100 NW 51st CT  
Fort Lauderdale, FL, 33309, US  
**License # : 423679**

Oil Manufacturer:  
Arvida Labs LLC  
1291 NW 65th Pl  
Fort Lauderdale, FL 33309  
Permit: 406287

**MISC.**



Pesticide  
**PASSED**



Heavy Metals  
**PASSED**



Microbial  
**PASSED**



Mycotoxins  
**PASSED**



Solvents  
**PASSED**



Filth/Foreign  
Material  
**PASSED**



Water Activity  
**PASSED**



Moisture  
Content  
**NOT TESTED**



Terpenes  
**NOT TESTED**



## Pesticide

**PASSED**

| ANALYTES                            | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-------------------------------------|------|--------|--------|-------|-----------|--------|-----------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | ppm  | 0.0100 | 0.0500 | 5     | PASS      | ND     |           |
| TOTAL DIMETHOMORPH                  | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | ND     |           |
| TOTAL PERMETHRIN                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| TOTAL PYRETHRINS                    | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | ND     |           |
| TOTAL SPINETORAM                    | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | ND     |           |
| TOTAL SPINOSAD                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ABAMECTIN B1A                       | ppm  | 0.0100 | 0.0500 | 0.3   | PASS      | ND     |           |
| ACEPHATE                            | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| ACEQUINOCYL                         | ppm  | 0.0100 | 0.0500 | 2     | PASS      | ND     |           |
| ACETAMIPRID                         | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| ALDICARB                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| AZOXYSTROBIN                        | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| BIFENAZATE                          | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| CHLORPYRIFOS                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| BIFENTHRIN                          | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | ND     |           |
| BOSCALID                            | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| CARBARYL                            | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | ND     |           |
| CLOFENTEZINE                        | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | ND     |           |
| CARBOFURAN                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| COUMAPHOS                           | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CHLORANTRANILIPROLE                 | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| DAMINOZIDE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CHLORMEQUAT CHLORIDE                | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| DIAZINON                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| DICHLORVOS                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| DIMETHOATE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ETHOPROPHOS                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ETOFENPROX                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ETOXAZOLE                           | ppm  | 0.0100 | 0.0500 | 1.5   | PASS      | ND     |           |
| FENHEXAMID                          | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
03/10/26



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Mellow Fellow Live Resin Vape Cartridges 2ml Dream Blend Double Dream (Hybrid)  
Strain: Double Dream  
Matrix: Derivative  
Classification: D8 - Low or No THCD9  
Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

Kaycha Labs



# Certificate of Analysis

Pages 2 of 7

**Mellow Fellow**

1100 NW 51st CT  
Fort Lauderdale, FL, 33309, US  
License #: 423679

**Sample: MI60219010-008**

**Batch #: 2121005**

**Ordered: 02/19/26**

**Sampled: 02/19/26**

**Completed: 03/10/26**

**PASSED**



## Pesticide

**PASSED**

| ANALYTES                       | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--------------------------------|------|--------|--------|-------|-----------|--------|-----------|
| FENOXYCARB                     | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| FENPYROXIMATE                  | ppm  | 0.0100 | 0.0500 | 2     | PASS      | ND     |           |
| FIPRONIL                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| FLONICAMID                     | ppm  | 0.0100 | 0.0500 | 2     | PASS      | ND     |           |
| FLUDIOXONIL                    | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| HEXYTHIAZOX                    | ppm  | 0.0100 | 0.0500 | 2     | PASS      | ND     |           |
| IMAZALIL                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| IMIDACLOPRID                   | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| KRESOXIM-METHYL                | ppm  | 0.0100 | 0.0500 | 1     | PASS      | ND     |           |
| MALATHION                      | ppm  | 0.0100 | 0.0500 | 2     | PASS      | ND     |           |
| METALAXYL                      | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| METHIOCARB                     | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| METHOMYL                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| MEVINPHOS                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| MYCLOBUTANIL                   | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| NALED                          | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | ND     |           |
| OXAMYL                         | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | ND     |           |
| PACLOBUTRAZOL                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| PHOSMET                        | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | ND     |           |
| PIPERONYL BUTOXIDE             | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| PRALLETHRIN                    | ppm  | 0.0100 | 0.0500 | 0.4   | PASS      | ND     |           |
| PROPICONAZOLE                  | ppm  | 0.0100 | 0.0500 | 1     | PASS      | ND     |           |
| PROPOXUR                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| PYRETHRIN I                    | ppm  | 0.0100 | 0.0500 | 1     | PASS      | ND     |           |
| PYRETHRIN II                   | ppm  | 0.0100 | 0.0500 | 1     | PASS      | ND     |           |
| PYRIDABEN                      | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| SPIROMESIFEN                   | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| SPIROTETRAMAT                  | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| SPIROXAMINE                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| TEBUCONAZOLE                   | ppm  | 0.0100 | 0.0500 | 1     | PASS      | ND     |           |
| THIACLOPRID                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| THIAMETHOXAM                   | ppm  | 0.0100 | 0.0500 | 1     | PASS      | ND     |           |
| TRIFLOXYSTROBIN                | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| PENTACHLORONITROBENZENE (PCNB) | ppm  | 0.0100 | 0.0500 | 0.15  | PASS      | ND     |           |
| PARATHION-METHYL               | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CAPTAN                         | ppm  | 0.0700 | 0.350  | 0.7   | PASS      | ND     |           |
| CHLORDANE                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CHLORFENAPYR                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CYFLUTHRIN                     | ppm  | 0.0500 | 0.250  | 0.5   | PASS      | ND     |           |
| CYPERMETHRIN                   | ppm  | 0.0500 | 0.250  | 0.5   | PASS      | ND     |           |

**Analyzed by:**  
3379, 585, 1440

**Weight:**  
0.2509g

**Extraction date:**  
02/19/26 15:11:57

**Extracted by:**  
450,3379

**Analysis Method :** SOP.T.30.102.FL, SOP.T.40.102.FL

**Analytical Batch :** MI095926PES

**Instrument Used :** DA-LCMS-005 (PES)

**Analyzed Date :** 02/22/26 01:44:29

**Batch Date :** 02/19/26 11:49:31

**Dilution :** 250

**Reagent :** 021826.R15; 012026.01; 021826.R14; 020526.R13; 020526.R14; 102025.R21; 021826.R12

**Consumables :** 927.100; 030125CH01; 6698360-03

**Pipette :** DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
03/10/26



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Mellow Fellow Live Resin Vape Cartridges 2ml Dream Blend Double Dream (Hybrid)  
Strain: Double Dream  
Matrix: Derivative  
Classification: D8 - Low or No THCD9  
Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

Kaycha Labs



# Certificate of Analysis

Pages 3 of 7

**Mellow Fellow**

1100 NW 51st CT  
Fort Lauderdale, FL, 33309, US  
License #: 423679

**Sample: MI60219010-008**

**Batch #: 2121005**

**Ordered: 02/19/26**

**Sampled: 02/19/26**

**Completed: 03/10/26**

**PASSED**

|  |                  |               |
|--|------------------|---------------|
|  | <b>Pesticide</b> | <b>PASSED</b> |
|--|------------------|---------------|

| ANALYTES                                                                                                                                              | UNIT               | LOD                                   | LOQ                  | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------|----------------------|-------|-----------|--------|-----------|
| Analyzed by:<br>450, 585, 1440                                                                                                                        | Weight:<br>0.2509g | Extraction date:<br>02/19/26 17:44:48 | Extracted by:<br>450 |       |           |        |           |
| Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL                                                                                                   |                    |                                       |                      |       |           |        |           |
| Analytical Batch : MI095928VOL                                                                                                                        |                    |                                       |                      |       |           |        |           |
| Instrument Used : DA-GCMS-011                                                                                                                         |                    |                                       |                      |       |           |        |           |
| Batch Date : 02/19/26 12:03:54                                                                                                                        |                    |                                       |                      |       |           |        |           |
| Analyzed Date : 02/22/26 01:41:17                                                                                                                     |                    |                                       |                      |       |           |        |           |
| Dilution : 25                                                                                                                                         |                    |                                       |                      |       |           |        |           |
| Reagent : 021826.R15; 012026.01; 021026.R22; 021026.R23                                                                                               |                    |                                       |                      |       |           |        |           |
| Consumables : 927.100; 030125CH01; 221021DD; 17473601                                                                                                 |                    |                                       |                      |       |           |        |           |
| Pipette : DA-080; DA-146; DA-218                                                                                                                      |                    |                                       |                      |       |           |        |           |
| Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |                    |                                       |                      |       |           |        |           |

|  |                          |               |
|--|--------------------------|---------------|
|  | <b>Residual Solvents</b> | <b>PASSED</b> |
|--|--------------------------|---------------|

| ANALYTES                                                                                                                       | UNIT               | LOD                                   | LOQ                   | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------|-----------------------|-------|-----------|--------|-----------|
| 1,1-DICHLOROETHENE                                                                                                             | ppm                | 0.800                                 | 4.00                  | 8     | PASS      | ND     |           |
| 1,2-DICHLOROETHANE                                                                                                             | ppm                | 0.200                                 | 1.00                  | 5     | PASS      | ND     |           |
| 2-PROPANOL                                                                                                                     | ppm                | 50.0                                  | 250                   | 500   | PASS      | ND     |           |
| ACETONE                                                                                                                        | ppm                | 75.0                                  | 375                   | 5000  | PASS      | ND     |           |
| ACETONITRILE                                                                                                                   | ppm                | 6.00                                  | 30.0                  | 410   | PASS      | ND     |           |
| BENZENE                                                                                                                        | ppm                | 0.100                                 | 0.500                 | 2     | PASS      | ND     |           |
| BUTANES (N-BUTANE)                                                                                                             | ppm                | 500                                   | 2500                  | 2000  | PASS      | ND     |           |
| CHLOROFORM                                                                                                                     | ppm                | 0.200                                 | 1.00                  | 60    | PASS      | ND     |           |
| DICHLOROMETHANE                                                                                                                | ppm                | 12.5                                  | 62.5                  | 600   | PASS      | ND     |           |
| ETHANOL                                                                                                                        | ppm                | 500                                   | 2500                  | 5000  | PASS      | ND     |           |
| ETHYL ACETATE                                                                                                                  | ppm                | 40.0                                  | 200                   | 5000  | PASS      | ND     |           |
| ETHYL ETHER                                                                                                                    | ppm                | 50.0                                  | 250                   | 5000  | PASS      | ND     |           |
| ETHYLENE OXIDE                                                                                                                 | ppm                | 0.500                                 | 2.50                  | 5     | PASS      | ND     |           |
| HEPTANE                                                                                                                        | ppm                | 500                                   | 2500                  | 5000  | PASS      | ND     |           |
| METHANOL                                                                                                                       | ppm                | 25.0                                  | 125                   | 3000  | PASS      | ND     |           |
| N-HEXANE                                                                                                                       | ppm                | 25.0                                  | 125                   | 290   | PASS      | ND     |           |
| PENTANES (N-PENTANE)                                                                                                           | ppm                | 75.0                                  | 375                   | 5000  | PASS      | ND     |           |
| PROPANE                                                                                                                        | ppm                | 500                                   | 2500                  | 2100  | PASS      | ND     |           |
| TOLUENE                                                                                                                        | ppm                | 15.0                                  | 75.0                  | 890   | PASS      | ND     |           |
| TOTAL XYLENES                                                                                                                  | ppm                | 15.0                                  | 75.0                  | 150   | PASS      | ND     |           |
| TRICHLOROETHYLENE                                                                                                              | ppm                | 2.50                                  | 12.5                  | 80    | PASS      | ND     |           |
| XYLENES-M&P (1,3&1,4-DIMETHYLBENZENE)                                                                                          | ppm                | 27.0                                  | 75.0                  | 2170  | PASS      | ND     |           |
| XYLENES-O (1,2-DIMETHYLBENZENE)                                                                                                | ppm                | 13.5                                  | 75.0                  | 2170  | PASS      | ND     |           |
| Analyzed by:<br>4444, 585, 1440                                                                                                | Weight:<br>0.0279g | Extraction date:<br>02/19/26 14:29:41 | Extracted by:<br>4444 |       |           |        |           |
| Analysis Method : SOP.T.40.041.FL                                                                                              |                    |                                       |                       |       |           |        |           |
| Analytical Batch : MI095940SOL                                                                                                 |                    |                                       |                       |       |           |        |           |
| Instrument Used : DA-GCMS-003                                                                                                  |                    |                                       |                       |       |           |        |           |
| Batch Date : 02/19/26 14:26:21                                                                                                 |                    |                                       |                       |       |           |        |           |
| Analyzed Date : 02/20/26 16:11:46                                                                                              |                    |                                       |                       |       |           |        |           |
| Dilution : 1                                                                                                                   |                    |                                       |                       |       |           |        |           |
| Reagent : 061323.02                                                                                                            |                    |                                       |                       |       |           |        |           |
| Consumables : 431526; 325202                                                                                                   |                    |                                       |                       |       |           |        |           |
| Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)                                                         |                    |                                       |                       |       |           |        |           |
| Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |                    |                                       |                       |       |           |        |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJA-Testing  
97164

Signature  
03/10/26



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Mellow Fellow Live Resin Vape Cartridges 2ml Dream Blend Double Dream (Hybrid)  
Strain: Double Dream  
Matrix: Derivative  
Classification: D8 - Low or No THCD9  
Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and  
suppositories.

Kaycha Labs



# Certificate of Analysis

Pages 4 of 7

Mellow Fellow

1100 NW 51st CT  
Fort Lauderdale, FL, 33309, US  
License #: 423679

Sample: MI60219010-008

Batch #: 2121005

Ordered: 02/19/26  
Sampled: 02/19/26  
Completed: 03/10/26

PASSED



## Microbial

PASSED

| ANALYTES                 | UNIT  | LOD  | LOQ  | LIMIT  | PASS/FAIL | RESULT      | QUALIFIER |
|--------------------------|-------|------|------|--------|-----------|-------------|-----------|
| ASPERGILLUS FLAVUS       |       |      |      |        | PASS      | Not Present |           |
| SALMONELLA SPECIFIC GENE |       |      |      |        | PASS      | Not Present |           |
| ASPERGILLUS FUMIGATUS    |       |      |      |        | PASS      | Not Present |           |
| ECOLI - SHIGELLA         |       |      |      |        | PASS      | Not Present |           |
| ASPERGILLUS TERREUS      |       |      |      |        | PASS      | Not Present |           |
| ASPERGILLUS NIGER        |       |      |      |        | PASS      | Not Present |           |
| TOTAL YEAST AND MOLD     | CFU/g | 10.0 | 10.0 | 100000 | PASS      | <10.0       |           |

Analyzed by: 4520, 4892, 585, 1440 Weight: 0.895g Extraction date: 02/19/26 14:02:08 Extracted by: 4520

Analysis Method : SOP.T.40.056C

Analytical Batch : MI095937MIC

Instrument Used : DA-111 (PathogenDx Scanner),DA-013 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)

Batch Date : 02/19/26 13:43:38

Analyzed Date : 02/21/26 12:56:29

Dilution : 10

Reagent : 101525.47; 101525.56; 101525.73; 010526.R34; 092525.05

Consumables : 7584004036; 7588002031

Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 3390, 4892, 585, 1440 Weight: 0.86g Extraction date: 02/19/26 14:03:17 Extracted by: 4520

Analysis Method : SOP.T.40.209.FL

Analytical Batch : MI095938TYM

Instrument Used : DA-328 (25°C Incubator)

Batch Date : 02/19/26 13:43:46

Analyzed Date : 02/21/26 17:07:24

Dilution : 10

Reagent : 010526.07; 021226.33; 010626.R20

Consumables : N/A

Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



## Extended Cannabinoids

TESTED

| ANALYTES          |                        | LOD     | LOQ     | LIMIT | PASS/FAIL | RESULT (%) | (MG/UNIT) QUALIFIER |
|-------------------|------------------------|---------|---------|-------|-----------|------------|---------------------|
| D8-THC (G)        | <div><div></div></div> | 0.00100 | 0.00100 |       | TESTED    | 36.1       | 723                 |
| (9R)-HHC (G)      | <div><div></div></div> | 0.00100 | 0.00100 |       | TESTED    | 18.1       | 361                 |
| (9S)-HHC (G)      | <div><div></div></div> | 0.00100 | 0.00100 |       | TESTED    | 8.67       | 173                 |
| CBN (G)           | <div><div></div></div> | 0.00100 | 0.00100 |       | TESTED    | 4.95       | 99.0                |
| CBD (G)           | <div><div></div></div> | 0.00100 | 0.00100 |       | TESTED    | 2.40       | 48.0                |
| D9-THCP (G)       | <div><div></div></div> | 0.00100 | 0.00100 |       | TESTED    | 1.01       | 20.2                |
| D6A,10A-THC (G)   | <div><div></div></div> | 0.00100 | 0.00100 |       | TESTED    | 0.421      | 8.43                |
| EXO-THC (G)       | <div><div></div></div> | 0.00100 | 0.00100 |       | TESTED    | 0.0858     | 1.72                |
| D8-THCP (G)       | <div><div></div></div> | 0.00100 | 0.00100 |       | TESTED    | 0.0604     | 1.21                |
| D8-THCB (G)       | <div><div></div></div> | 0.00100 | 0.00100 |       | TESTED    | 0.0589     | 1.18                |
| D4(8)-ISO-THC (G) | <div><div></div></div> | 0.00100 | 0.00100 |       | TESTED    | 0.0569     | 1.14                |
| CBT (G)           | <div><div></div></div> | 0.00100 | 0.00100 |       | TESTED    | 0.0538     | 1.08                |
| (9R)-D10-THC (G)  | <div><div></div></div> | 0.00100 | 0.00100 |       | TESTED    | 0.0347     | 0.693               |
| D8-ISO-THC (G)    | <div><div></div></div> | 0.00100 | 0.00100 |       | TESTED    | 0.0293     | 0.587               |
| D8-THCH (G)       | <div><div></div></div> | 0.00100 | 0.00100 |       | TESTED    | 0.0123     | 0.246               |
| CBDV (G)          | <div><div></div></div> | 0.00100 | 0.00100 |       | TESTED    | 0.0111     | 0.221               |
| D8-THCO (G)       | <div><div></div></div> | 0.00100 | 0.00100 |       | TESTED    | 0.0104     | 0.208               |
| (1R)-H4-CBD (G)   | <div><div></div></div> | 0.00100 | 0.00100 |       | TESTED    | ND         | ND                  |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian  
Celestino  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164

Signature  
03/10/26



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Mellow Fellow Live Resin Vape Cartridges 2ml Dream Blend Double Dream (Hybrid)  
Strain: Double Dream  
Matrix: Derivative  
Classification: D8 - Low or No THCD9  
Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and  
suppositories.

Kaycha Labs



# Certificate of Analysis

Pages 5 of 7

## Mellow Fellow

1100 NW 51st CT  
Fort Lauderdale, FL, 33309, US  
License #: 423679

Sample: MI60219010-008

Batch #: 2121005

Ordered: 02/19/26

Sampled: 02/19/26

Completed: 03/10/26

**PASSED**



## Extended Cannabinoids

**TESTED**

| ANALYTES           | LOD     | LOQ     | LIMIT  | PASS/FAIL | RESULT (%) | (MG/UNIT) QUALIFIER |
|--------------------|---------|---------|--------|-----------|------------|---------------------|
| (1S)-H4-CBD (G)    | 0.00100 | 0.00100 | TESTED | ND        | ND         |                     |
| (9S)-D10-THC (G)   | 0.00100 | 0.00100 | TESTED | ND        | ND         |                     |
| CBC (G)            | 0.00100 | 0.00100 | TESTED | ND        | ND         |                     |
| CBCV (G)           | 0.00100 | 0.00100 | TESTED | ND        | ND         |                     |
| CBD-C8 (G)         | 0.00100 | 0.00100 | TESTED | ND        | ND         |                     |
| CBDH (G)           | 0.00100 | 0.00100 | TESTED | ND        | ND         |                     |
| CBDH (G)           | 0.00100 | 0.00100 | TESTED | ND        | ND         |                     |
| CBDP (G)           | 0.00100 | 0.00100 | TESTED | ND        | ND         |                     |
| CBG (G)            | 0.00100 | 0.00100 | TESTED | ND        | ND         |                     |
| CBL (G)            | 0.00100 | 0.00100 | TESTED | ND        | ND         |                     |
| CBN ACETATE (G)    | 0.00100 | 0.00100 | TESTED | ND        | ND         |                     |
| CBNP (G)           | 0.00100 | 0.00100 | TESTED | ND        | ND         |                     |
| D8-THC-C8 (G)      | 0.00100 | 0.00100 | TESTED | ND        | ND         |                     |
| D9-THC (G)         | 0.00100 | 0.00100 | TESTED | ND        | ND         |                     |
| D9-THC ACETATE (G) | 0.00100 | 0.00100 | TESTED | ND        | ND         |                     |
| D9-THC-C8 (G)      | 0.00100 | 0.00100 | TESTED | ND        | ND         |                     |
| D9-THCB (G)        | 0.00100 | 0.00100 | TESTED | ND        | ND         |                     |
| D9-THCH (G)        | 0.00100 | 0.00100 | TESTED | ND        | ND         |                     |
| D9-THCO (G)        | 0.00100 | 0.00100 | TESTED | ND        | ND         |                     |
| D9-THCV (G)        | 0.00100 | 0.00100 | TESTED | ND        | ND         |                     |

Analyzed by:  
450, 585, 1440

Weight:  
0.1152g

Extraction date:  
02/20/26 23:46:25

Extracted by:  
795

Analysis Method : SOP.T.40.0141  
Analytical Batch : MI095992CAN  
Instrument Used : DA-GCMS-010  
Analyzed Date : 03/10/26 11:26:07

Batch Date : 02/20/26 13:40:31

Dilution : 80  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection, along with Gas Chromatography Mass Spectrometry.



## Mycotoxins

**PASSED**

| ANALYTES     | UNIT | LOD     | LOQ    | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--------------|------|---------|--------|-------|-----------|--------|-----------|
| AFLATOXIN B2 | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | ND     |           |
| AFLATOXIN B1 | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | ND     |           |
| OCHRATOXIN A | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | ND     |           |
| AFLATOXIN G1 | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | ND     |           |
| AFLATOXIN G2 | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | ND     |           |

Analyzed by:  
3379, 585, 1440

Weight:  
0.2509g

Extraction date:  
02/19/26 15:11:57

Extracted by:  
450,3379

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL  
Analytical Batch : MI095931MYC  
Instrument Used : DA-LCMS-005 (MYC)  
Analyzed Date : 02/20/26 10:42:09

Batch Date : 02/19/26 12:10:31

Dilution : 250  
Reagent : 021826.R15; 012026.01; 021826.R14; 020526.R13; 020526.R14; 102025.R21; 021826.R12  
Consumables : 927.100; 030125CH01; 6698360-03  
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
03/10/26



3451 Commerce Parkway  
Miramar, FL, 333025, US  
(954) 368-7664

Mellow Fellow Live Resin Vape Cartridges 2ml Dream Blend Double Dream (Hybrid)  
Strain: Double Dream  
Matrix: Derivative  
Classification: D8 - Low or No THCD9  
Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

Kaycha Labs



# Certificate of Analysis

Pages 6 of 7

## Mellow Fellow

1100 NW 51st CT  
Fort Lauderdale, FL, 33309, US  
License #: 423679

Sample: MI60219010-008

Batch #: 2121005

Ordered: 02/19/26  
Sampled: 02/19/26  
Completed: 03/10/26

**PASSED**



## Water Activity

**PASSED**

### ANALYTES

WATER ACTIVITY

UNIT LOD LOQ LIMIT PASS/FAIL RESULT QUALIFIER

aw 0.010 0.10 0.85 PASS 0.50

Analyzed by:  
4056, 585, 1440

Weight:  
0.055g

Extraction date:  
02/19/26 17:09:52

Extracted by:  
4056

Analysis Method : SOP.T.40.019  
Analytical Batch : MI095923WAT  
Instrument Used : DA-028 Rotronic Hygropalm  
Analyzed Date : 02/19/26 18:32:36

Batch Date : 02/19/26 11:12:47

Dilution : N/A  
Reagent : 091525.03  
Consumables : PS-14  
Pipette : N/A



## Heavy Metals

**PASSED**

### ANALYTES

TOTAL CONTAMINANT LOAD METALS

UNIT LOD LOQ LIMIT PASS/FAIL RESULT QUALIFIER

ppm 0.0800 0.400 1.1 PASS ND

ARSENIC

ppm 0.0200 0.100 1.5 PASS ND

CADMIUM

ppm 0.0200 0.100 0.5 PASS ND

MERCURY

ppm 0.0200 0.100 3 PASS ND

LEAD

ppm 0.0200 0.100 0.5 PASS ND

Analyzed by:  
1022, 585, 1440

Weight:  
0.2405g

Extraction date:  
02/19/26 14:28:43

Extracted by:  
1022,5122

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
Analytical Batch : MI095934HEA  
Instrument Used : DA-ICPMS-004  
Analyzed Date : 02/20/26 11:37:52

Batch Date : 02/19/26 12:26:55

Dilution : 50  
Reagent : 012626.R24; 020326.R11; 021726.R14; 021726.R01; 021726.R11; 021726.R13; 020526.01; 020326.R12; 061323.01  
Consumables : 030125CH01; J609879-0193; 179436  
Pipette : DA-061; DA-191; DA-215

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## Vitamin E

**PASSED**

### ANALYTES

VITAMIN E ACETATE

UNIT LOD LOQ LIMIT PASS/FAIL RESULT QUALIFIER

ppm 0.0750 0.250 100 PASS ND

Analyzed by:  
53, 585, 1440

Weight:  
0.1152g

Extraction date:  
02/24/26 14:43:40

Extracted by:  
585

Analysis Method : N/A  
Analytical Batch : MI096063VIT  
Instrument Used : MI-LC-001  
Analyzed Date : 02/27/26 15:22:47

Batch Date : 02/23/26 14:30:06

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164

Signature  
03/10/26



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Mellow Fellow Live Resin Vape Cartridges 2ml Dream Blend Double Dream (Hybrid)  
Strain: Double Dream  
Matrix: Derivative  
Classification: D8 - Low or No THCD9  
Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

Kaycha Labs



# Certificate of Analysis

Pages 7 of 7

**Mellow Fellow**

1100 NW 51st CT  
Fort Lauderdale, FL, 33309, US  
License # : 423679

**Sample: MI60219010-008**

**Batch #:** 2121005

**Ordered:** 02/19/26

**Sampled:** 02/19/26

**Completed:** 03/10/26

**PASSED**



## Filth/Foreign Material

**PASSED**

### ANALYTES

FILTH AND FOREIGN MATERIAL

**UNIT**

**LOD**

**LOQ**

**LIMIT**

**PASS/FAIL**

**RESULT**

**QUALIFIER**

%

0.100

0.500

1

PASS

ND

**Analyzed by:**

4797, 585, 1440

**Weight:**

1g

**Extraction date:**

02/20/26 10:32:08

**Extracted by:**

4797,585

**Analysis Method :** SOP.T.40.090

**Analytical Batch :** MI095971FIL

**Instrument Used :** Filth/Foreign Material Microscope

**Analyzed Date :** 02/20/26 16:21:27

**Batch Date :** 02/20/26 10:28:45

**Dilution :** N/A

**Reagent :** N/A

**Consumables :** N/A

**Pipette :** N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
03/10/26



## Certificate of Analysis

### Compliance Test

**Client Information:**  
**Mellow Fellow**  
1100 NW 51st CT  
Fort Lauderdale, FL  
33309

**Manufacturing Facility:**  
Arvida Labs LLC  
1291 NW 65th PI  
Unit B  
Fort Lauderdale, FL 33309

**Batch Data:**  
Batch # 2121005  
Batch Date: 2026-02-16  
Extracted From: Hemp

**Order Details:**  
Test Reg State: Florida

**Food Permits:**  
State: FL - #406287

**Order #**  
MEL260226-500001  
**Order Date:** 2026-02-26  
**Sample #** AAHL918

**Sampling Date:** 2026-03-09  
**Lab Batch Date:** 2026-03-09  
**Completion Date:** 2026-03-16

**Initial Gross Weight:** 34.400 g

**Net Weight per Package:**  
2000.000 mg

**Servings Per Package:**  
960



Product Image



**2 3-Butanedione**  
**Passed**

No Potency Summary on this page.

  
Aixa Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.867), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.878) + CBG, CBN Total = (CBNA \* 0.876) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Client supplied the net weight of ml The results apply to the sample as received. This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The scope of this analysis is limited to the parameters listed in this COA. Testing for food additives (e.g., preservatives, colorant, flavor enhancers) was not conducted. Therefore, no conclusions should be drawn regarding the presence or absence of such additives. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number



## Certificate of Analysis

### Compliance Test

**Client Information:**  
**Mellow Fellow**  
1100 NW 51st CT  
Fort Lauderdale, FL  
33309

**Manufacturing Facility:**  
Arvida Labs LLC  
1291 NW 65th PI  
Unit B  
Fort Lauderdale, FL 33309

**Batch Data:**  
Batch # 2121005  
Batch Date: 2026-02-16  
Extracted From: Hemp

**Order Details:**  
Test Reg State: Florida

**Food Permits:**  
State: FL - #406287

**Order #**  
MEL260226-500001  
**Order Date:** 2026-02-26  
**Sample #** AAHL918

**Sampling Date:** 2026-03-09  
**Lab Batch Date:** 2026-03-09  
**Completion Date:** 2026-03-16

**Initial Gross Weight:** 34.400 g

**Net Weight per Package:**  
2000.000 mg

**Servings Per Package:**  
960



**2,3-butanedione(Diacetyl)**  
Specimen Weight: 16.700 mg

**Passed**

SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

| Analyte         | LOD<br>(ppm) | LOQ<br>(ppm) | Result<br>(ppm) |
|-----------------|--------------|--------------|-----------------|
| 2,3-Butanedione | 0.024        | 0.024        | <LOQ            |

*Aixia Sun*

Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The scope of this analysis is limited to the parameters listed in this COA. Testing for food additives (e.g., preservatives, colorant, flavor enhancers) was not conducted. Therefore, no conclusions should be drawn regarding the presence or absence of such additives. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number